

PRIMISULFURON-METHYL TECHNICAL

HERBICIDE

Dust

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

GUARANTEE:

Primisulfuron-methyl..... 99% (nominal)

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY
UNAUTHORIZED PERSONNEL**

REGISTRATION NUMBER: **26209**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **500 kg**

Syngenta Canada, Inc.
140 Research Lane
Research Park
Guelph, Ontario
N1G 4Z3
519-836-5665

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed. Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes. Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy. If a large amount has been ingested, induce emesis or lavage stomach. An aqueous suspension of activated charcoal can be given to absorb remaining toxicant.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Strictly observe all precautions for handling and using pesticides. Avoid contact with skin, eyes and clothing. Do not contaminate food, feed or water supplies. Workers using this product in an open system must wear protective clothing: safety boots/rubber boots, coveralls, impervious gloves, safety glasses/face shield and a NIOSH-approved pesticide respirator.

DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

STORAGE

Store in original containers in a well-ventilated, cool, dry, and secure area out of reach of children and domestic animals. Ship and store away from food, feed, seed, fertilizer or other pesticides. Keep containers tightly closed.

DIRECTIONS FOR USE

To be used only in the manufacture of a product which is registered under the PEST CONTROL PRODUCTS ACT.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.