GROUP

3

INSECTICIDE

DOKTOR DOOM® "MINI"

FUMIGATOR TOTAL RELEASE

PRESSURIZED SPRAY

COMMERCIAL

Lock valve down for CONTINUOUS SPRAYING or Depress valve for MANUAL SPRAYING

KILLS: flies, mosquitoes, small flying moths, wasps, gnats, cockroaches, ants, fleas, ticks, crickets, spiders and silverfish.

GUARANTEE: pyrethrins 0.40% piperonyl butoxide 2.00%

REGISTRATION NO. 25936 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 50 gms

EXTREMELY FLAMMABLE EXPLOSIVE

READ THE LABEL BEFORE USING

753146 AB Ltd. o/a UltraSol Industries 10755-69 Avenue Edmonton, Alberta T6H 2C9 (780)-432-6535 DIRECTIONS: Remove pets, birds and fish bowls. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Do not spray near or over furniture, plastic, painted or varnished surface. Equipment or furniture should be covered. Close doors and windows, point valve opening away from face and eyes when releasing. Use one can for each 100 cubic meters of unobstructed area. Do not use in dwellings or in food storage, handling or service establishments as a total release fumigator with the valve locked open.

TO OPERATE VALVE: Product can be used manually or valve can be locked in open position for total release. To lock valve in open position for automatic discharge, depress valve lever down firmly until it clicks and stays depressed. For best results, first spray distant rooms manually spraying towards ceiling. Four to six seconds is ample for average room (3mx3mx3m). Also spray into cracks and crevices. Place can on stand or table in center of 100 cubic metre area to be treated, then lock valve down. Leave area at once and keep closed for 2 hours before airing out. When finished, open all windows and doors and ventilate for 30 minutes. Repeat spraying in two weeks or when necessary. This product will kill exposed insects only and has no residual activity.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not use in presence of open flame or spark. CONTENTS UNDER PRESSURE. Container may explode if heated. Do not expose to temperature above 50 degrees C. Do not puncture or incinerate. Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin or eyes. Do not remain in treated areas. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

DISPOSAL: When container is empty, press valve to release all remaining pressure then dispose in regular garbage. Do not puncture or incinerate.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATIION:

Treat symptomatically. Contains petroleum distillate.

NOTICE TO USER: This Pest Control Product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

RESISTANCE-MANAGEMENT RECOMMENDATIONS

For resistance management, please note that DOKTOR DOOM® "MINI" FUMIGATOR TOTAL RELEASE contains a Group 3 insecticide. Any insect or mite population may contain individuals naturally resistant to DOKTOR DOOM® "MINI" FUMIGATOR TOTAL RELEASE and other Group 3 insecticides. The resistant individuals may dominate the insect or mite population if this group of insecticides/acaricides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of DOKTOR DOOM® "MINI" FUMIGATOR TOTAL RELEASE or other Group 3 insecticides with different groups that control the same pests in a field.
- Use tank mixtures with insecticides/acaricides from a different group when such use is permitted.
- Insecticide/acaricide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact UltraSol Industries at (780)-432-6535.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.