

14-JAN-2009  
2008-2911

HALOBROM BROMINE TABLETS

CONTROLS BACTERIA-ALGAE  
IN SWIMMING POOL WATERS

NO CHLORINE ODOR

GUARANTEE:

1-BROMO-3-CHLORO-5, 5-DIMETHYLHYDANTOIN 92.5%  
PROVIDES: 61% AVAILABLE BROMINE  
27% AVAILABLE CHLORINE

DOMESTIC

REG. No. 23682 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

WARNING

POISON CORROSIVE

DANGER: CORROSIVE TO EYES

READ THE LABEL BEFORE USING

NET CONTENTS 22.7 KG.

Manufactured by:  
Clearon Corp.  
95 MacCorkle Avenue S.W.  
South Charleston, WV  
25303-1411 U.S.A.  
Phone: (304) 746-3000 Fax: (304) 746-3034

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

DANGEROUS GAS FORMED WHEN MIXED WITH ACID.

DO NOT MIX WITH ANY OTHER CHEMICAL.

STRONG OXIDIZING AGENT.

MAY CAUSE FIRE OR EXPLOSION IF CONTAMINATED.

AVOID CONTACT WITH SKIN AND EYES.

AVOID BREATHING DUST.

HARMFUL IF SWALLOWED.

KEEP CONTAINER CLOSED AND STORE IN A COOL, DRY LOCATION.

DISPOSAL: RINSE CONTAINER THOROUGHLY BEFORE DISCARDING.

DO NOT REUSE.

For information of the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

#### WARNING

DIRECT TABLET CONTACT MAY CAUSE BLEACHING OF VINYL OR PAINTED POOL SURFACES.

AUTOMATIC FEEDING DEVICES EMPLOYING THESE TABLETS MUST BE TOTALLY FREE FROM TRACES OF OTHER POOL SANITIZERS TO AVOID THE PROBABILITY OF AN EXPLOSION.

#### FIRST AID

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed - no PET Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Toxicological Information: Treat symptomatically.

DIRECTIONS FOR USE: HALOBROM BROMINE TABLETS are a safe and effective slow dissolving bactericide, algicide and disinfectant that, unlike other commonly used chemicals, performs well over a broad pH range. Use the dosages recommended below as a guide in determining the proper amount of HALOBROM BROMINE TABLETS necessary to keep your

pool sparkling clean and inviting. The dosage necessary for your pool will change considerably depending upon those factors that burden the disinfection system.

Some of the factors that will vary the required dosages are water temperature, bather load, exposure to windblown debris, thunder or rain storms and length of filtration cycle.

SWIMMING POOLS: In newly filled pool, shock the pool if necessary. Follow directions for use on this label to establish an effective active bromine residual of between 1 and 3 ppm, pH 7.2 to 7.8, total alkalinity 100-150 ppm, and calcium hardness 200 - 300 ppm. Test water frequently using a reliable bromine test kit. Adjust the flow rate through the brominator if necessary, to maintain the active bromine residual. The following dosages are provided as a general rule of thumb. Automatic brominators have to use instructions peculiar to their design. Frequently a brominator must be filled to capacity - while adjustments allow the user to erode only the amount of HALOBROM BROMINE TABLETS necessary for proper sanitation as suggested below, the slow dissolving nature of the chemical combined with the design features of the brominator require that a greater amount of chemical be exposed to the water. For shocking purposes use a non-chlorine shock.

Add 1 - 2 tablets per 10,000 litres. Daily usage should approximate 25 g of HALOBROM BROMINE TABLETS per 10,000 L of pool water as needed to maintain a bromine residual of 1 - 3 ppm at all times. Apply weekly dose through the use of an automatic brominator which will allow you to adjust the amount of bromine entering the water.

Each tablet weighs 24.5 grams.

MADE IN UNITED STATES

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.