

Lloyds Hornet & Wasp Blaster

PRESSURIZED CONTACT & RESIDUAL
SPRAY

DOMESTIC

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

REG. NO. 24634 P.C.P. ACT

NET CONTENTS: 200-450 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF THE REACH OF CHILDREN

Lloyds Laboratories
613 Neal Dr
Peterborough ON, K9J 6X7
1 800-361-6766

DIRECTIONS FOR USE: For the control of wasps, bees, hornets and yellow jackets. Remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 to 2.5 metres. To prevent insects from falling on skin or clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Application to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

LIMITATIONS: Do NOT use inside homes, on humans or animals. Do NOT use as a space spray. Do not spray near electrical conductors.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Keep children and pets away from treated areas until surfaces are dry and insects are dead. Do not contaminate food, utensils or food preparation areas. Remove pets and cover fish bowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50°C as container may burst. Do not puncture or incinerate.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press valve to release all pressure. Wrap and discard empty container in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.