

2020-1059
2020-06-12

GLYFOS®

HERBICIDE 143 CONCENTRATE

Brush, Grass & Broadleaf Weed Control Liquid
Controls Entire Plant, Burns Off Leaves And Stem And
Kills Roots

DOMESTIC
KEEP OUT OF REACH OF
CHILDREN NON-SELECTIVE
HERBICIDE

ACTIVE INGREDIENT: Glyphosate 143 g/L (present as isopropylamine salt)

Contains 1,2 benzisothiazolin-3-one at 0.039% as a preservative.

REGISTRATION NO. 26609

PEST CONTROL PRODUCTS ACT

NO RESIDUAL ACTIVITY IN SOIL

USES: ALONG FENCE, EDGING/TRIMMING LAWNS, PATIO WEED CONTROL, DRIVEWAYS,
LAWN/GARDEN RENOVATION, HARD-TO-MOW AREAS (SEE DIRECTIONS).

READ THE LABEL BEFORE USING

NET CONTENTS 1 L

IN CASE OF EMERGENCY, CALL 1-800-331-3148 (24 HOURS)

Registrant:
FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
1-833-362-7722

2020-1059
2020-06-12

PRECAUTIONS FOR USE

Avoid spray contact with desirable plants as any plant contacted may be killed. Do not spray in windy conditions. Do not spray to the point of run-off. Heavy rainfall immediately after application may wash the chemical off the foliage and repeat treatment may be required. Do not apply if rainfall is forecast for the time of application.

PRECAUTIONS

CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED. Avoid contact with eyes or prolonged contact with skin. Do not allow others such as children and pets on treated areas during application or to re-enter treated areas until spray has dried. Wash immediately after using this product. Do not contaminate foodstuffs, seed or feed by storage or disposal.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If ingested: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : Treat symptomatically.

DISPOSAL

Rinse container and empty rinsate into sprayer. Do not reuse empty container. Dispose of empty container with household garbage.

GENERAL PRODUCT INFORMATION

GLYFOS[®] HERBICIDE 143 CONCENTRATE is a non-selective herbicide. It controls most annual and perennial grasses, including lawn grasses, broadleaf weeds and brush (i.e. virtually anything that is green and growing). It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Mature perennial weeds should be treated after seed heads, flowers or fruit appear. All plants are most easily controlled in the young, actively growing, seedling stage.

GLYFOS[®] HERBICIDE 143 CONCENTRATE wilts and browns plants within 48 hours. Plants usually dry up within 7 to 14 days. GLYFOS[®] HERBICIDE 143 CONCENTRATE has no soil activity and will not run off to affect nearby vegetation. To ensure that GLYFOS[®] HERBICIDE 143 CONCENTRATE gets down to the roots, avoid tillage or disturbing the treated area for 7-10 days after treatment or as directed below. Make sure to contact only those plants that you want to kill. GLYFOS[®] HERBICIDE 143 CONCENTRATE will damage or kill any desirable plants it contacts. Use a repeat application on any seedlings that re-grow from seeds.

DIRECTIONS FOR USE

USE	APPLICATION INSTRUCTIONS	CONTROLS	MIXING/ COVERAGE
Undesirable vegetation control around buildings, lawn trimming/edging, patio weed control, vacant lots, storage & recreational areas, driveways, hard to mow areas and other similar areas	Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For perennial weeds apply after seed heads, flowers or berries appear.	Most annual and perennial grasses and weeds, such as quackgrass, chickweed, ragweed, knotweed, poison ivy, Canada thistle, milkweed, bindweed	1) Mix 100 mL of product in 2 L of clean water (1 part GLYFOS HERBICIDE 143 CONCENTRATE to 20 parts water). 2) Apply prepared solution over equivalent of 40 m ² (10 paces x 4 paces* or 20 paces x 2 paces*).
Around trees/shrubs/ornamentals	Apply around base in a neat fashion. Avoid spray or drift contact with foliage, stems or green bark of desirable plants.		3) Ensure uniform and complete spray coverage but not to the point of run-off. NOTE: Mix only enough spray solution to treat intended area. Rinse sprayer thoroughly after each use. Do not store spray mixture in sprayer for prolonged periods. Do not use hose-end sprayers.
Lawn/garden renovation	For best results on lawns, skip one mowing prior to treatment. Allow at least 3 days after treatment before disturbing the soil and/or replanting.		*1 pace = approx. 1 m
Brush control	Apply after leaves are fully expanded. Treat trees and brush up to 1.5 m in height only; for taller trees and brush, cut back to 1.5 m or cut down and spray regrowth.	Most brush such as poplar, alder, maple and raspberry	

®GLYFOS and FMC are trademarks of FMC Corporation or an affiliate.

Not for reformulation or repackaging.