

2024-1027
2024-04-11

PLANTSKYDD DEER REPELLENT
Soluble Powder Concentrate

COMMERCIAL | REG NO. 27411 PCP Act
FOR OUTDOOR USE ONLY
READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN & PETS

Effective against deer and elk for 2-4 months
Repels by odour.

ACTIVE INGREDIENT: Dried Blood.....99.84%

Made in USA / Printed in USA

Canadian Registrant / Public Inquiries Contact

Tree World® logo

*** girl with seedling**

4466 Stalashen Drive

Sechelt, B.C.

Canada, V7Z 0B3

Tel: 1-800-252-6051

plantskydd.ca

info@treeworld.com

2024-1027

2024-04-11

DIRECTIONS FOR USE:

To prevent feeding damage by deer and elk. Re-treat as required in heavily browsed areas.

Conifers: For use on cedar, fir, pine, spruce and other conifer seedlings. To be applied once or twice per year as browsing conditions warrant.

MIXING INSTRUCTIONS:

Dilution Rate: 1 kg powder in 5 litres water.

1. Pour powder into mixing container. Wet container first, to avoid powder sticking to sides.
2. Slowly stir equal parts of water into powder to make a lumpless paste/slurry - a kitchen whisk is ideal.
3. Add rest of water to avoid foaming. Then allow to stand for a **minimum** of 20 minutes.
4. Pour solution through a fine mesh filter or cheesecloth into pressure-type, hand or backpack sprayer.

Note: If sprayer clogs, rinse in hot water.

DOSAGE:

Dipping—approximately 500-600 seedlings (30 cm high) can be treated when trees are 'dipped' into solution of 1 kg Plantskydd™ and 5 litres water.

Spraying—approximately 350-450 seedlings (30 cm high) can be treated when spraying a solution of 1 kg Plantskydd™ and 5 litres of water.

Note: • Do not increase the above dosages !

- Dip or spray mainly tops of dry seedlings until wet, but not dripping.

Always treat new growth.

Although Plantskydd® has been tested on many species of plants, it is advisable to treat small portions of plants to determine sensitivity before treating entire plants.

For best results, apply in early morning or late afternoon. Apply at above freezing temperatures. Use mixed solution within a few days.

Seal unused powder and store in a cool, dry, dark place for up to 2 years.

DO NOT FREEZE PROTECT FROM HEAT

TREATMENT TIME:

1. For best results—apply in late Fall (overwinter browse) or early Spring.

Note: • Needles may temporarily darken after spraying- original color returns after 1 or 2 days.

2. After rainfall, wait 1-2 hours—until needles are dry.
3. Very warm weather (e.g., June-August) reduces efficacy.
4. Treat Pine before or after, but not during, bud-flush period.

Caution

–Avoid spraying surface of other substrates such as concrete and wood to prevent damage (e.g. discolouration).

–DO NOT apply to any body of water.

–DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

KEEP OUT OF REACH OF CHILDREN

1. Do not store as liquid solution for more than 2 - 3 days.
2. DO NOT INGEST powder or liquid solution. Wash hands before eating.
3. For good hygiene practice, wear waterproof gloves when handling this product.
4. Avoid spraying concrete and wood to prevent discoloration.

IMPORTANT:

2024-1027

2024-04-11

1. Do not close box if plants are treated while still in container.
2. Rinse mixing container, sprayer, bag, gloves, raingear etc., after each day's use.

PRECAUTIONS—KEEP OUT OF REACH OF CHILDREN & PETS

For good hygiene practice, wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. DO NOT ingest. Wash hands with soap and water after handling.

FIRST AID

- **If swallowed**—Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- **If on skin or clothing**—Take off contaminated clothing. Rinse skin immediately with plenty of water. If on skin or clothing, rinse for 15–20 minutes. Call a poison control centre or doctor for treatment advice.
- **If inhaled**—Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.
- **If in eyes**—Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- **Seeking medical attention**—Take container, label or product name and Pest Control Product Registration Number (# 27411) with you.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Store this product away from food or feed. Store between 5° and 20° C for up to 5 years after opening in original container in a cool, dry, dark area inaccessible to children and pets. Do not store as liquid suspension. Protect from heat and freezing. Keep containers closed tightly. If spillage occurs, mop / clean up.

DISPOSAL

Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites. Do not reuse empty container. Recycle container where facilities exist. Otherwise, dispose of empty container with household garbage.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.