

2011-09-19

2011-2711

## **BOX**

Sergeant's PreTect Squeeze-on Flea & Tick Control for Dogs 15 kg to 30 kg

- Kills fleas, ticks and mosquitoes
- Inhibits flea egg development for 3 months

## **CAUTION POISON**

Toxic to cats

**KEEP OUT OF REACH OF CHILDREN**

Net Contents:

6 x 1.5ml Applicators

Sergeant's PreTect Squeeze-on Flea & Tick Control for Dogs 15kg to 30 kg

- 3 Monthly Doses
- 6 Applicators

## **GUARANTEE:**

Permethrin.....45.0%

Nylar®: Pyriproxyfen.....5.0%

**DOMESTIC**

**REG. NO. 26714 P.C.P. ACT**

**READ LABEL BEFORE USING**

**FOR USE ONLY ON DOGS**

**DO NOT USE ON CATS**

- Pleasant citrus scent

Rolf C. Hagen Inc.

20500 Trans Canada Hwy.

Baie d'Urfe, Qc. H9X 0A2

Canada

Telephone : 800-554-2436

## **Sergeant's PreTect Squeeze-on Flea & Tick Control for Dogs 15 kg to 30 kg**

**Sergeant's PreTect Squeeze-on Flea and Tick Control for Dogs 15 kg to 30 kg** is an effective and easy to use product. **Sergeant's PreTect Squeeze-on Flea and Tick Control for Dogs 15 kg to 30 kg** inhibits flea eggs laid on treated dogs from developing into biting adults for 3 months. **Sergeant's PreTect Squeeze-on Flea and Tick Control for Dogs 15 kg to 30 kg** controls fleas, mosquitoes, brown dog ticks, and American dog ticks for 3 weeks. **Sergeant's PreTect Squeeze-on Flea and Tick Control for Dogs 15 kg to 30 kg** kills blacklegged (deer) ticks (which may carry the organism which causes Lyme Disease) for 3 weeks. Ticks present on the animal at the time of treatment may take several days to die. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, furniture, etc. (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

**DIRECTIONS FOR USE:** Do NOT administer by mouth. Use only on dogs and puppies over 6 months of age. DO NOT USE ON CATS OR OTHER ANIMALS. NOT TO BE USED ON DOGS OVER 30 KG. Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary (i.e., if the flea infestation persists), but do not apply more often than once every 3 weeks. IF ONLY TICKS OR MOSQUITOES ARE A PROBLEM, IT IS NOT NECESSARY TO USE A PRODUCT WHICH CONTAINS PYRIPROXYFEN. Efficacy of the product may be affected by washing the pet.

Apply one tube (1.5 ml) of **Sergeant's PreTect Squeeze-on Flea & Tick Control for Dogs 15 kg to 30 kg** solution to the dog's back at skin level between the shoulder blades and apply a second tube (1.5 ml) to the dog's back at skin level directly in front of the base of the tail.

**HOW TO APPLY:** Remove product tube from packaging by tearing along perforation. Holding tube with notched end pointed up and away from face and body, cut off notched end of tube. Invert tube over dog and use narrow end of tube to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in garbage.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. **HUMANS:** Keep children and toddlers from touching the dog after application until the product has completely dried. Not for use on humans. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. May cause eye irritation. Wear rubber gloves when applying. Wash thoroughly with soap and water after handling. **PETS:** For external use on dogs only. Consult a veterinarian before using on pregnant animals, sick animals or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 6 months of age. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with

treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

**ADVERSE REACTIONS:** Some animals

may be sensitive to ingredients in this product. Reactions in dogs may include skin sensitivity. Dogs may show lethargy, increased pruritis (itchiness), erythema (redness), rash and hair discolouration or hair loss at the application site. Observe the dog following treatment. If sensitivity to the product occurs, discontinue use and bathe the dog with a mild, noninsecticidal shampoo. Seek veterinary advice.

**FIRST AID: HUMANS:** If swallowed: call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If in eyes: hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**PETS:** If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**STORAGE AND DISPOSAL:** Store in a cool, dry place. Do not re-use empty container. Wrap empty container and discard with household garbage. ®Nylar is a registered trademark of McLaughlin Gormley King Company.

Rolf C. Hagen Inc.  
20500 Trans Canada Hwy  
Baie d'Urfe, QC  
H9X 0A2  
Telephone : 800-554-2436

**STICKER**

Sergeant's PreTect Squeeze-on Flea & Tick Control for Dogs 15 kg to 30 kg

1.5 ml

READ THE PACKAGE LABEL BEFORE USING.

DOMESTIC

GUARANTEE:

Permethrin.....45.0%

Pyriproxyfen.....5.0%

REG. NO. 26714 P.C.P. ACT

Caution: Poison

Toxic to cats

Rolf C. Hagen Inc.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.