2011-2892 2011-09-09

NET CONTENT; 4 L

DOMESTIC

VÉTO V

WITH CITRONELLA FRAGRANCE

INSECTICIDE WITH QUICK KILL ACTION AND RESIDUAL EFFECT WATER BASE MICRO-EMULSION

Insecticide for use to control pests in and around homes.

GUARANTEE: (W/W)

Permethrins Pyrethrins Piperonyl Butoxide 0.1% 0.1% 1.0%

In a water base

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 24329 PEST CONTROL PRODUCTS ACT

> VÉTOQUINOL N.-A. INC. 2000, ch. Georges, Lavaltrie Qc. Canada J5T 3S5 1-800-363-1700

VÉTO V Insecticide with Quick Kill Action and Residual Effect provides a quick kill action and a residual insecticidal activity against house flies, wasps, mosquitoes, horseflies, biting midges, ants, cockroaches, crickets, silverfish and spiders.

DIRECTIONS FOR USE

FLYING INSECTS: To control house flies, wasps, mosquitoes and biting midges. Close doors and windows. Spray upwards to all parts of the room, especially windows and other light sources. Keep room closed for 15 minutes after each treatment. Apply at a rate of 60 mL per 30 m³ of space. Ventilate treated areas for 30 minutes before reentry and cleanup dead insects. Repeat application as necessary.

CRAWLING INSECTS: To control ants, cockroaches, crickets, silverfish and spiders. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails around door sills, window frames, or in ant nests. Insects must be contacted to be killed. Spray directly on insects and where insects are present.

TO CONTROL AMERICAN DOG AND CAT FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes, and clothing. Avoid inhalation of spray. Wash after use. Cover fish bowls and remove pets for one hour when spraying rooms. Remove or cover all exposed foods and cooking utensils before spraying. Do not spray near open flame or spark, or while smoking.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION Treat symptomatically.

DISPOSAL: Do not reuse empty container. Make empty container unsuitable for further use. Dispose of empty container in household garbage.

STORAGE: Do not expose to temperature below 0°C.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.