

2023-12-04
2023-2759

This label has been updated according to the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until September 2, 2024 in accordance with the phase out period set out in the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing pmra.info-arla@hc-sc.gc.ca. In your email please include the product name and Registration number of the label you are requesting.

**BRONCO® Water-Base Equine Fly Spray
With Citronella Scent**

For indoor use and for limited outdoor use on the exterior surfaces of horse barns/stables to kill and repel Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Biting Midges

FOR USE ON HORSES ONLY

Kills and repels fleas, chiggers, ticks, lice, and flies listed above.

DO NOT use on newborn or nursing foals.

DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

Use on show, race, work or pleasure horses only. **DO NOT** use on horses intended for slaughter.

DOMESTIC

CAUTION:

See back panel for additional precautionary statements

READ LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl Butoxide.....	0.50%
Permethrin	0.10%

Contains 1,2-Benzisothiazolin-3-one at 0.0193% as a preservative.

REGISTRATION NUMBER 24784 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 946 mL and 3.78 L

Manufactured for:
FARNAM COMPANIES, INC.
711 E. Missouri Ave., Suite 200, Phoenix, AZ 85014
800 234-2269
www.farnam.com

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. Have person sip a glass of water if able to swallow. **DO NOT** give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Treat symptomatically.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

DO NOT apply using stationary or handheld fogging or misting equipment. For animal use only. Not for use on humans. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with mouth, skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

FOR INDOOR USE AT HORSE BARN/STABLES AND FOR LIMITED OUTDOOR USE ON THE EXTERIOR SURFACES OF HORSE BARN/STABLES

Use Limitations

- **DO NOT** apply when people or pets are present.
- **DO NOT** allow people or pets to enter treated areas until sprays have dried.
- **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- **DO NOT** apply to overhead areas or in confined spaces (e.g., indoors in attics, crawlspaces, small storage rooms, closets; and outdoors to eaves, soffits).
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- When applied indoors: Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air.
- When applied to the exterior outdoor surfaces of buildings: **DO NOT** treat soil, turf or other plants adjacent to the building. **DO NOT** treat patios, porches, decks, gazebos or play structures.
- **DO NOT** apply to people, pets or sources of electricity.

How to Apply

DO NOT APPLY AS A SPACE SPRAY, PERIMETER TREATMENT OR INDOOR BROADCAST TREATMENT. Apply as an indoor or outdoor crack and crevice or spot treatment or outdoor broadcast treatment only. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a surface of a room (indoors) or total surface area treated (outdoors). Broadcast application is to large outdoor structural surfaces (roofs, walls, doors, windows and foundations).

To kill and repel Biting Midges, Deer Flies, House Flies, Horn Flies, Mosquitoes, Stable Flies, Horse Flies: For use indoors at horse barns/stables and for limited outdoor use on the exterior surfaces of horse barns/stables only. Apply to indoor building surfaces, including localized areas of walls, ceilings, stalls, stanchions and foundations, around light fixtures and places where listed insects may enter (e.g., windows and doors). To enhance effectiveness of this product, apply directly to the listed pests where possible. Spray on the outside of door facings and screens to render area unattractive to listed pests. This helps to repel insects and prevent entrance into building. **DO NOT** exceed 8.6 mL per m². Treatment must only be repeated after 14 days if pest problem persists or reoccurs. **DO NOT** apply more than 12 applications per year. Good sanitary practices should be maintained to prevent re-infestation.

FOR USE ONLY ON HORSES

Use Limitations

- **DO NOT** use on newborn or nursing foals.
- Use on show, race, work or pleasure horses only. **DO NOT** use on horses intended for slaughter.
- **DO NOT** soak skin. **DO NOT** exceed 40 mL per animal per treatment.
- **DO NOT** treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- **DO NOT** cover horses immediately after treating/after treatment.
- **DO NOT** apply to back of horse prior to saddling.
- **DO NOT** use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- Avoid contact with treated horse until dried.
- Discontinue use if horse develops irritation after treatment with this product.
- Use **ONLY** in a well-ventilated area, preferably outdoors. **DO NOT** apply when people are present.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply more than once per day. Treatment must only be repeated after one day if pest problem persists or re-occurs. A veterinarian should be consulted when pest infestation continues to be a problem on the horse.

To kill and repel Stable flies, Horse flies, Face flies, Deer flies, House flies, Horn flies, Mosquitoes, Biting midges, Fleas, Chiggers, Ticks, Lice:

This non-oily insecticide repellent is to be applied directly to the horse as a spray (with a trigger spray applicator) or as a wipe-on. Prior to treatment, thoroughly brush horse to remove excess dirt and dust and remove mucous secretions from face of the horse. Extremely dirty horses should be shampooed, rinsed and allowed to dry before treatment.

Spray Method: Apply a light, uniform spray to thoroughly coat the hair of the horse, while brushing lightly against lay of the hair. **DO NOT** wet horse's skin. Target areas of the horse commonly attacked by listed pests such as the legs, flanks and topline of the horse. If possible, apply directly to ticks. **DO NOT** apply as a spray to the face of horse. When applying to the face of horse, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean, soft cloth/sponge/mitt with Bronco Water-Base Equine Fly Spray. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the horse to be protected. It is best to apply by rubbing against the hair growth. Pay special attention to the legs, shoulders, shanks, neck and facial areas (where flies and ticks are most seen on the horse).

STORAGE:

Store in the original container in a well-ventilated room. Store in a cool, dry place. Protect from heat, sun and humidity. **DO NOT** contaminate food, feed or water by the storage and disposal of this product. Store this product away from food or feed.

DISPOSAL:

DO NOT reuse empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

Product No./Code de produit: 73030