

2021-1712
2021-06-11

Imported to Canada by
AquaCal AutoPilot, Inc.
2737 24th St North.
St Petersburg, FL 33713
1.727.823.5642

REGISTRATION NO. 26962 PEST
CONTROL PRODUCTS ACT
LECTRANATOR II MODEL 7200
Chlorine Generating Device

A Minimum of 1 ppm of available
chlorine must be maintained

Maximum output of Sodium
Hypochlorite equivalent to 3.26 kg of
chlorine per day

**WARNING: Operating the
LECTRANATOR II MODEL
7200
without water flow through the cell
can cause a build up of flammable
gases which can result in FIRE OR**

**COMMERCIAL
READ THE LABEL AND THE
INSTRUCTION MANUAL BEFORE
USING**




Commercial Chlorine Generating Device

LECTRANATOR II

“The Next Generation”

MODEL 7200



REGISTRATION NO. 26962 PEST CONTROL PRODUCTS ACT

COMMERCIAL Operation / Installation Manual

IMPORTANT

READ THE LABEL AND THIS MANUAL BEFORE INSTALLING & OPERATING

PLEASE RETAIN THIS MANUAL FOR FUTURE REFERENCE

PRECAUTIONS

Do not use this device with bromide products.

AQUACAL AUTOPILOT, INC. • 2737 24TH ST NORTH • ST PETERSBURG • FL 33713 • USA
www.autopilot.com 1.727.823.5642

