

2014-3164  
2014-09-24

**SUPER K  
RESIDUAL INSECT SPRAY**

For the control of crawling and flying  
insect pests outdoors

DOMESTIC  
REG. NO. 27427 P.C.P. ACT  
GUARANTEE: Propoxur 1%

Contains Propoxur Insecticide

DANGER

POISON

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 2 L

The John Lim Co. Ltd.  
1285 St. Mary's Avenue  
Mississauga, ON L5E 1H8  
905-271-2711

2014-3164  
2014-09-24

An insecticide for the control of a wide range of crawling insect pests and specific flying insects outdoors. Provides rapid kill of: ants, brown dog ticks, centipedes, crickets, earwigs, fleas, flies, millipedes and spiders.

**DIRECTIONS:**

**SPOT OR CRACK AND CREVICE** - Apply as a coarse spray to infested areas until wet. Direct spray away from people, plants and pets. For outdoor use only. Do not use indoors. **OUTDOOR USE** - Spray infested areas thoroughly including outdoor surfaces, door frames, patios, window frames and outside foundations where insects may enter.

Outdoor application is limited to crack, crevice, and structural treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Avoid excessive wetting of plastics, rubber and asphalt materials. Do not use as a space spray. Do not treat animals, humans, vegetation or food utensils. Provide adequate ventilation of area treated. May be harmful if swallowed. **Combustible:** do not spray near open flame. Do not smoke while using. Do not store near excessive heat. Do not contaminate feed or food and water. Wash thoroughly after handling and before eating, drinking or smoking. Do not get into eyes. Avoid contact with skin and clothing and avoid inhalation of vapours or spray mist.

**FIRST AID: If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre at once. Atropine is antidotal.

**DISPOSAL:** Do not reuse empty container. Wrap container and discard in household garbage.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.