# Aqua SELECT

# ALGAECIDE 5%

CONTROLS ALGAE in Swimming Pools Waters

## LIQUID ALGAECIDE

DOMESTIC

## **GUARANTEE:**

n-alkyl (40%  $C^{12}$ , 50%  $C^{14}$ , 10%  $C^{16}$ ) Dimethyl Benzyl Ammonium Chloride......5%

REG. NO. 27084 P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

Sima Groupe/Groupe Sima D.B.A. Aqua Select Suite 110, 2500 Boul. des Entreprises Terrebonne QC J6X 4J8

## ALGAECIDE 5%

## DIRECTIONS FOR USE:

- 1. Initial dosage for pool water having no visible algae is 400 mL of ALGAECIDE 5% per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 200 mL of ALGAECIDE 5% per 10,000 L of pool water.
- 3. For pool water having algae, superchlorinate following label instructions of superchlorination product employed and wait at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination is not

employed, add 1 L of ALGAECIDE 5% per 10,000 L of pool water.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes.

#### DISPOSAL:

Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or th Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill and for clean-up of spills.

#### FIRST AID:

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If splashed on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

Treat symptomatically.

**4**L

39-3082010-SL

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.