

2012-1938
2013-04-05

WOCOSEN[®] 100SL

**WATER BASED
WOOD PRESERVATIVE**

FOR INDUSTRIAL AND COMMERCIAL USE
SOLUTION

GUARANTEE:

Propiconazole: 9.2%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

CAUTION-POISON

REGISTRATION NO. 24514
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 200 Litres

Trademark of Janssen Pharmaceutica, N.V., Beerse, Belgium

Janssen Pharmaceutica, NV
Janssen PMP Division
1125 Trenton-Harbourton Rd.
Titusville, New Jersey U.S.A.
08560-1504
(609) 730-2607

USE LIMITATION

Treatment facilities shall provide appropriate industrial hygiene measures and safety equipment for the safe use of this product. The treatment site must have effective containment and pollution abatement technology to insure that the pesticide is not released into the surrounding environment under normal operating conditions. Freshly treated wood shall be handled and stored in a manner which provides no opportunity for the preservative release into the environment. Outdoor treatment facilities are prohibited.

DIRECTIONS FOR USE:

As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Post a copy of this label in the treatment area. For the protection of wood joinery products against decay and moulds, dilute 1 litre Wocosen 100SL per 8.5 to 18 litres water to obtain a concentration of 0.5-1.0% active ingredient in the treating solution. For use on wood joinery products including window and door components or exterior non-structural decorative wood joinery items which are not found in ground contact. Do not use on wood products which may come in contact with food, feed or drinking water. Machine cut, glue and sand wood as desired prior to treating. Do not apply over previously finished or stained wood. Wood must be clean and dry. Engineered ventilation systems may be required to remove odour vapours during treatment, mixing or drying.

Apply this product by the following methods:

- a) Double vacuum system (closed systems). Wood should be dry to the touch upon removal from the treating chamber.
Target retention rate of 60 g propiconazole/m³.
- b) Bundle dipping or other immersion methods which utilizes automated technology (3 minutes minimum treatment).
Target deposition rate of 0.12 g propiconazole/m².
- c) Flood coating, Roller coating or Flow coating using automated technology (15 second minimum treatment).
Target deposition rate of 0.12 g propiconazole/m².
- d) Spray box automated technology (treating parameters appropriate for the specific unit and substrate).
Target deposition rate of 0.08 g propiconazole/m².

Finishing:

Before glazing, staining, painting, varnishing, treatment should be completely dry and odor-free; allow 4-8 hours under average temperature and humidity conditions. Can be heat dried for plant production. Use a sealer such as shellac before using lacquers.

Clean-up:

Use water to remove wet WOCOSEN 100SL wood preservative from all surfaces, brushes and rollers.

STORAGE AND DISPOSAL:

DISPOSAL:

DO NOT reuse this container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.
2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or the provincial regulatory agency.

Storage:

To prevent contamination store this product away from food or feed. Store in the original closed and labeled container in a cool place. Keep containers closed when not in use. Keep from freezing. Store above 0°C.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

POST A COPY OF THIS LABEL IN THE WORK AREA.

Harmful if swallowed, inhaled or absorbed through skin. May cause eye irritation. Avoid breathing of vapor or spray mist. Avoid contact with skin, eyes and clothing.

Wear chemical resistant coveralls over long pants, a long sleeve shirt, chemical resistant footwear and socks and chemical-resistant gloves and goggles or face shield during mixing/loading, application, clean-up and repair activities. Use a cartridge respirator if the area is not well ventilated and during clean-up, maintenance and repair activities. When piling freshly treated lumber or if there is a potential for getting wet by the treating solution or by handling freshly treated lumber, wear chemical resistant coveralls or a chemical resistant apron over long-sleeved shirt and long pants, chemical resistant gloves, socks and chemical resistant footwear. When working in the dip or spray area, wear long sleeved shirt, long pants, chemical resistant gloves, socks and boots. Once dry, the treated wood can be handled with cotton or leather gloves.

Wash hands and face thoroughly with soap and water after handling and before eating, drinking, smoking and using the toilet. Change clothing daily or more frequently if it shows signs of contamination. Wash contaminated clothing separately from household laundry. Not for use or storage in or around the home. Clean contaminated equipment thoroughly prior to making welding repairs.

FIRST AID:

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote known. Treat symptomatically.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms and non-target terrestrial plants. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or when disposing of equipment washwaters.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Propiconazole is manufactured by Syngenta, Basel, Switzerland

January 23, 2013