Lloyds

INSECT REPELLENT PRESSURIZED SPRAY II

Repels mosquitoes, black flies, stable flies, biting midges, deer flies, ticks and chiggers

DOMESTIC

READ THE LABEL BEFORE USING KEEP OUT OF THE REACH OF CHILDREN

GUARANTEE:

DEET 23.75% related toluamides 1.25%

REG. NO. 27244 P.C.P. ACT

DANGER

EXTREMELY EXPLOSIVE FLAMMABLE

190 g

Lloyds Laboratories Inc. 980 Alliance Road Pickering, Ontario L1W 3M9 DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. Repels mosquitoes for 6 hours. Also repels, black flies, stable flies, biting midges, deer flies, ticks and chiggers. Hold container upright and spray a uniform film on clothing and exposed skin, except for face. Apply sparingly, not under clothing and only when necessary. TO APPLY TO FACE, spray hands and apply avoiding eyes and mouth. Do not spray in enclosed spaces. Wash hands after application. Reapply after 6 hours if necessary.

Will not damage nylon, cotton or wool. Avoid contact with plastic, watch crystals and synthetic fabrics such as, acetate, rayon and dynel etc. May damage leather, furniture finishes, plastics and painted surfaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT USE ON CHILDREN UNDER 12 YEARS OF AGE. Avoid contact with eyes and mouth. DO NOT INHALE SPRAY MIST. Do not apply over cuts and wounds or to sunburned skin. Do not puncture or incinerate. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50° C.

Flammable - Keep container away from open flame or sparks.

FIRST AID: If in eyes: hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If irritation or other adverse effects develop wash with soap and water immediately. Seek medical attention if symptoms persist.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.