

2018-0705
2018-10-10

KOP-COAT

WOODLIFE[®] F

**CLEAR WOOD PRESERVATIVE
WITH WATER REPELLENT**

Solution

INDUSTRIAL USE ONLY

REGISTRATION NO. 25696
PEST CONTROL PRODUCTS ACT

CAUTION – EYE AND SKIN IRRITANT

ACTIVE INGREDIENT:
3-Iodo-2-Propynyl-N-Butylcarbamate.....0.50%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

**KOP-COAT, INC.
Protection Products Division
3040 William Pitt Way Pittsburgh PA 15238
412-826-3323**

**5137 Southwest Avenue
St. Louis, MO 63110
(412) 227-2700**

NET CONTENTS

LITRES

2018-0705
2018-10-10

DIRECTIONS FOR USE:

Post a copy of the label in the treatment area. For use in the protection of wood against decay and moulds. Treat to a target retention rate of 0.08 kg/m³.

DO NOT DILUTE

USES: For wood joinery products including window and door components or exterior non-structural decorative wood joinery items which are not in ground contact. Do not use on wood products which may come in contact with food, feed, or drinking water. Machine, cut, glue and sand wood prior to treating. Do not apply over previously finished or stained wood. Wood must be clean and dry. Apply at temperatures above 4.4°C and below 25°C. Engineered ventilation systems may be required to remove solvent vapours during treatment, mixing and drying.

APPLY THE PRODUCT BY THE FOLLOWING METHODS:

APPLICATION:

- 1) Double vacuum system (closed systems). Wood should be dry to the touch upon removal from the treating chamber. Use a treating schedule which achieves adequate distribution of the active.
- 2) Bundle dipping or other immersion methods which utilizes automated technology (3 minute minimum treatment).
- 3) Flood coating, roller coating or flow coating using automated technology (15 second minimum treatment).
- 4) Spray box automated technology (treating parameters appropriate for the specific unit and substrate).

FINISHING: Prior to top-coating with paint, varnish or other materials, the wood must be free of residual solvent. Allow four to eight hours under ambient temperature, 20°C or less drying time if accelerated drying methods are used.

USE LIMITATION: Treatment facilities shall provide appropriate industrial hygiene measures and safety equipment for the safe use of this product. The treatment site must have effective containment and pollution abatement technology to insure that the pesticide is not released into the surrounding environment under normal operating conditions. Freshly treated wood shall be handled and stored in a manner which provides no opportunity for the preservative to be released into the environment. Outdoor treatment facilities are prohibited.

CLEAN UP: Use mineral spirits to remove wood preservative from contaminated surfaces.

PRECAUTIONS:

**KEEP OUT OF REACH OF CHILDREN
POST A COPY OF THIS LABEL IN THE WORK AREA**

May be fatal if swallowed and enters airways. Avoid breathing vapor or spray mist. May irritate eyes and skin. Avoid contact with eyes, skin and clothing.

Do not use on wood or wood products that may result in prolonged human contact such as decks, railings, etc.

Wear chemical-resistant coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, goggles or face shield, socks and chemical-resistant footwear when handling the concentrate or during mixing/loading, clean-up, maintenance and repair activities.

Use a NIOSH-respirator if the area is not well ventilated or if airborne exposure levels are above the occupational exposure limit(s), as determined by air sampling.

Use a NIOSH-respirator during clean-up, maintenance and repair activities when working in/on application equipment or if airborne material (e.g. dust, mist/spray) may be generated when working in the treatment area.

Use a NIOSH-respirator when opening pressure treatment cylinder doors.

2018-0705
2018-10-10

When handling freshly treated wood, handling treated wood that has not fully dried, or if there is a potential for getting wet by the treating solution during other activities, wear chemical-resistant coveralls or a chemical-resistant apron over long-sleeved shirt and long pants, chemical resistant gloves, socks and chemical-resistant footwear.

When working in the application area, wear long-sleeved shirt, long pants, chemical resistant gloves, socks and boots. Wear goggles or face shield if there is a possibility of splashing.

Once dry, the treated wood can be handled with cotton or leather gloves.

Wash hands and face before eating, drinking, smoking and using the toilet. Change clothes daily. Wash contaminated clothing separately from household laundry. Not for use or storage in or around the home. Clean contaminated equipment thoroughly prior to making welding repairs.

FIRST AID:

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: No specific antidote known. Contains petroleum distillates. Vomiting may cause aspiration pneumonia. May be fatal if swallowed and enters airways.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical. Keep from freezing. Store above 0°C. Combustible liquid and vapour.

ENVIRONMENTAL PRECAUTIONS:

TOXIC to aquatic organisms.

I. DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

This product is TOXIC to aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other water in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product.

Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of treatment solution.

Store treated lumber on a roofed drip pad until dripping has ceased. Slope lumber on the drip pad to expedite drainage and to ensure that no puddles remain on the surface of the wood. Manage drippage and other related wastes to prevent release in the environment.

2018-0705
2018-10-10

DO NOT expose treated lumber to rains immediately after treatment.

For further information on storage, handling, and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

STORAGE:

To prevent contamination store this product away from food or feed.

DISPOSAL:

For recyclable containers:

DO NOT reuse this container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality of the location of the nearest collection site. Before taking the container to the collection site:

Triple-or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.

Make the empty, rinsed container unsuitable for further use.

If there is no container site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

FOR PRODUCT EMERGENCIES: 1-800-548-0489