Prescription Treatment® brand PERMA-DUST® Pressurized Boric Acid Dust

KILLS: Ants, Bed Bugs, Booklice, Centipedes, Chocolate Moths, Clover Mites, Cockroaches, Crickets, Dermestids, Drugstore Beetles, Earwigs, Fire Brats, Flour Beetles, Grain Weevils, Indian Meal Moths, Millipedes, Pillbugs, Silverfish, Sowbugs and Spiders

FOR USE IN AND AROUND: Apartments, Homes, Hospitals, Hotels, Food Storage Areas, Inedible Product Areas of Meat Packing Plants, Food Processing Plants, Motels, Nursing Homes, Restaurants and Other Food Handling Establishments, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Planes) and Warehouses and Other Commercial and Industrial Buildings. Do not use in aircraft cabins

COMMERCIAL

REGISTRATION NO. 27023

PEST CONTROL PRODUCTS ACT

READ THE LABEL AND BROCHURE BEFORE USING

DANGER





EXTREMELY FLAMMABLE

CAUTION - EXPLOSIVE

SKIN IRRITANT
CONTENTS UNDER PRESSURE
DO NOT USE IN THE PRESENCE OF OPEN FLAME OR SPARKS
SHAKE WELL BEFORE USING

NET CONTENTS: 227 - 255 Grams

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673

BASF Canada Inc. 5025 Creekbank Road, Building A, 2nd Floor Mississauga, Ontario L4W 0B6 Tel. No. 1-877-371-2273

SEE BROCHURE INSIDE BOX FOR COMPLETE DIRECTIONS FOR USE.

2022-0975

2022-03-04

PRESCRIPTION TREATMENT and PERMA-DUST are registered trademarks of BASF Corporation, used with permission by BASF Canada Inc.

DIRECTIONS FOR USE

Before use shake until agitator ball rattles. For best results, use in upright position only. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc. where the powdery residue may foul or short electric contacts and circuits. Not for use as a space spray. Do not leave deposits on exposed surfaces.

Wear long pants, long-sleeved shirt, chemical resistant coveralls, chemical resistant gloves and a NIOSH approved N95 (minimum) filtering face piece respirator (dust mask) that is properly fit tested when mixing and loading boron as a dust/powder.

Visible dust/powder must be removed or wiped away after application to voids.

HOW TO USE BASF CRACK AND CREVICE® INJECTION SYSTEM

Use Prescription Treatment brand PERMA-DUST Pressurized Boric Acid Dust with the supplied actuator and injection tubes. Inject Prescription Treatment brand PERMA-DUST Pressurized Boric Acid Dust into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release product for approximately one second. Move injector tip along cracks while treating at the rate of 0.9 m/sec. For closed voids, calculate the void's volume and treat at the rate of $3-5 \, \text{sec}/0.08 \, \text{m}$ 3. For closed void areas drill small access holes. Several holes may be required in long-running voids. Repeat as necessary. This product can leave a white residue. This residue can normally be removed with a damp cloth or sponge.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Apply/use only in areas inaccessible to children and pets.

Do not apply as a broadcast application.

DANGER: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wear long-sleeved shirt, long pants and chemical resistant gloves and a respirator with a NIOSH/MSHA/BHSE approved organic-vapour removing cartridge with a pre-filter approved for pesticides or a NIOSH/MSHA/BHSE approved canister approved for pesticides during application and clean up. Wash thoroughly with soap and water after handling.

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 54°C may cause bursting. Do not contaminate water, food or feed by storage or disposal. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

ENVIRONMENTAL HAZARDS

This product contains petroleum distillates which are moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning of equipment.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

STORAGE

Store in a cool area away from heat or open flame.

DISPOSAL

When container is empty, press valve to release all pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

CRACK & CREVICE is a registered trademark of BASF Corporation, used with permission by BASF Canada Inc.

Prescription Treatment® brand PERMA-DUST® Pressurized Boric Acid Dust

COMMERCIAL

GUARANTEE:	Boric Acid	25.5		0,
	BOHC ACIO		ຸກກ	ີ

REGISTRATION NO. 27023

PEST CONTROL PRODUCTS ACT

READ THE LABEL AND BROCHURE BEFORE USING

DANGER







CAUTION - EXPLOSIVE

SKIN IRRITANT CONTENTS UNDER PRESSURE DO NOT USE IN THE PRESENCE OF OPEN FLAME OR SPARKS SHAKE WELL BEFORE USING

NET CONTENTS: 227 - 255 Grams

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673

BASF Canada Inc. 5025 Creekbank Road Building A, 2nd Floor Mississauga, Ontario L4W 0B6

Tel. No. 1-877-371-2273

PRESCRIPTION TREATMENT and PERMA-DUST are registered trademarks of BASF Corporation, used with permission by BASF Canada Inc.

DIRECTIONS FOR USE

Before use shake until agitator ball rattles. For best results, use in upright position only. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc. where the powdery residue may foul or short electric contacts and circuits. Not for use as a space spray. Do not leave deposits on exposed surfaces.

Wear long pants, long-sleeved shirt, chemical resistant coveralls, chemical resistant gloves and a NIOSH approved N95 (minimum) filtering face piece respirator (dust mask) that is properly fit tested when mixing and loading boron as a dust/powder.

Visible dust/powder must be removed or wiped away after application to voids.

HOW TO USE BASF CRACK & CREVICE® INJECTION SYSTEM

Use Prescription Treatment brand PERMA-DUST Pressurized Boric Acid Dust with the supplied actuator and injection tubes. Inject Prescription Treatment brand PERMA-DUST Pressurized Boric Acid Dust into cracks and crevices or void spaces where insects may be harboring, living and breeding.

Place injector tip into cracks, crevices, holes and other small openings. Release product for approximately one second. Move injector tip along cracks while treating at the rate of 0.9 m/second. For closed voids, calculate the void's volume and treat at the rate of 3-5 sec/ 0.08 m3. For closed void areas drill small access holes. Several holes may be required in long-running voids. Repeat as necessary. This product can leave a white residue. This residue can normally be removed with a damp cloth or sponge.

INDOOR TREATMENTS

CENTIPEDES, COCKROACHES, CRICKETS, DERMESTIDS, EARWIGS, MILLIPEDES, SOWBUGS AND SPIDERS: Inject with the prescribed dosage into cracks and crevices and void spaces where insects may be harboring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewers, floor drains and meter boxes. Repeat as necessary.

BOOKLICE, FIREBRATS & SILVERFISH: Inject into cracks and crevices associated with baseboards, doorframes, bookcases and other harborage sites. Repeat as necessary.

ANTS: Inject cracks, crevices and voids where ants may be traveling and/or harboring, including but not limited to, around doors, window frames, wall voids and other structural cracks and crevices and void areas.

STORED PRODUCT PESTS (Adult and Larval Stages) - Chocolate Moths, Drugstore Beetles, Flour Beetles, Grain Weevils, Indian Meal Moths, Dermestids: Inject into cracks and crevices and/or voids where these insects may be harboring. Infested areas may include, but are not limited to, cracks and crevices in cabinets, pantries, wall voids and in machinery.

BED BUGS: Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that the interior framework is treated. Bedbugs may also harbor in areas of the room away from the bed. Apply Prescription Treatment brand PERMA-DUST Pressurized Boric Acid Dust as a Crack & Crevice or spot treatment to nightstands and other furniture in the room, wall voids, behind wall hanging, floor molding, window casings, carpet edge, popcorn ceilings and other cracks & crevices.

DO NOT APPLY THIS PRODUCT TO MATTRESSES AND BED LINENS.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY: Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply directly into cracks and crevices and void areas using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Apply product only when the food areas are not in operation. Cover or remove food commodities, food-processing equipment, packaging materials and utensils before application.

Avoid contamination of feed and foodstuff, utensils and food preparation areas. Thoroughly clean contaminated food handling areas before reuse. After application wash all surfaces that, may contact food and rinse with potable water before reuse for food processing.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK & CREVICE TREATMENT ARE NOT PERMITTED.

INDOOR AND OUTDOOR TREATMENTS

CARPENTER ANTS: Locate source of infestation or areas of suspected activity. Inject 5 -10 seconds of product into insect tunnels and cavities. Treat points of entry or exits from voids such as around doors, windows and siding.

CLOVER MITES: Inject cracks & crevices and/or voids where these insects may be harboring or hibernating. Infested areas may include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and doorframes.

OUTDOOR TREATMENTS

ANTS, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, MILLIPEDES, PILLBUGS, SOWBUGS AND SPIDERS: Treat cracks around doors, windows, under siding and voids at foundation level, beneath guards on loading docks, into cracks in foundations and floors and in other places where these pests may enter building. Repeat application as necessary.

Special precautions should be taken so that all residues will be out of reach of children or domestic animals. Avoid contamination of food and foodstuffs.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN

Apply/use only in areas inaccessible to children and pets.

Do not apply as a broadcast application.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL HAZARDS

This product contains petroleum distillates, which are moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning of equipment.

TOXICOLOGICAL INFORMATION

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL

When container is empty, press valve to release all pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

CRACK & CREVICE is a registered trademark of BASF Corporation, used with permission by BASF Canada Inc.

2022-0975

2022-03-04