

Ultra-Fresh* BC-40

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN

HAZARD TO HUMANS (AND DOMESTIC ANIMALS): Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin thoroughly with water. Get medical attention. When handling the concentrate, wear full face protection with cartridge respirator and chemical resistant gloves, apron, cap and boots. Use only in well ventilated areas. Do not wear contact lenses.

FIRST AID

If in eyes: Hold eyelids open and flush with a steady stream of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and the Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage.

INDUSTRIAL FUNGICIDE

COMMERCIAL GUARANTEE:

3-Iodo-2-Propynyl Butyl

Carbamate 40%

READ THE LABEL BEFORE USING
POST A COPY OF THIS LABEL IN
THE TREATMENT AREA

DANGER



POISON



CORROSIVE

DANGER-CORROSIVE TO EYES AND SKIN

KEEP OUT OF REACH OF CHILDREN

REGISTRATION No. 27100 PEST CONTROL PRODUCTS ACT

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS:

Do not use, pour, spill or store near heat or open flame.

Manufactured for;
Microban Canada Inc.
3080 Yonge Street, Suite 6060, Toronto, ON,
Canada M4N 3N1

Net Contents:

Ultra-Fresh is a registered trademark of Microban Products Company

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE:

Do not store below 16°C. Optimum storage temperature of 16-32°C is recommended. Do not contaminate with strong oxidizing or reducing agents. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DIRECTIONS FOR USE

The following are recommended use levels for **Ultra-Fresh BC-40**. Recommendations are in percentage by weight and refer to the product **Ultra-Fresh* BC-40**. Typical use levels are given for each

application. In order to determine the most cost effective use level for a given end use, field trials are suggested.

PLASTICS: **Ultra-Fresh BC-40** may be used in polyvinyl chloride plastics to prevent surface mildew growth on items such as shower curtains, tarpaulins, umbrellas, etc. Levels of 0.5 – 2.5% of the weight of the plastic are generally adequate. **Ultra-Fresh BC-40** should be dispersed in the plasticizer before incorporated into the resin. (Use of **Ultra-Fresh* BC-40** is not suggested if processing temperatures exceed 177°C for prolonged periods of time.) **Ultra-Fresh* BC-40** is not to be used in polyvinyl chloride plastics that will be in contact with food.

TEXTILES, CANVAS & CORDAGE **Ultra-Fresh BC-40** may be used as a mildewcide in both aqueous and solvent basted coatings or dyes which are applied to textiles. Typical end use products are carpets, canvas, cordage, drapes, shower curtains, etc. Do not use for textiles for apparel. **Ultra-Fresh BC-40** should be added at the end of the production cycle of the coating or dye with good agitation. Normal use levels for **Ultra-Fresh BC-40** in textiles are 0.1 – 1.0% based on the total formula weight. For canvas and cordage, **Ultra-Fresh BC-40** should be added at levels of 0.05 – 2.0% based on formula weight.

ADHESIVES: **Ultra-Fresh BC-40** can be used as an additive to caulk and adhesive formulations to prevent the growth of fungal organisms in the material, either in the wet stage or once the film has dried. Suggested levels are between 0.05 – 0.2% based on the formula weight. **Ultra-Fresh BC-40** should be added toward the end of the production cycle with good agitation.

2024-1377
2024-07-18

210804