

2019-1059
2019-07-03

**OxyChem®
TOWERBROM® 60M Granules
Microbiocide**

COMMERCIAL
READ THE LABEL BEFORE USING

**REGISTRATION NO. 27275
PEST CONTROL PRODUCTS ACT**

ACTIVE INGREDIENT:
Sodium Bromide 6.86%
Available chlorine present as
sodium dichloro-s-triazinetriene 57%

CAUTION

POISON



CORROSIVE

Lot No.:

NET CONTENTS 50 lbs.

HMS RATING SYSTEM:		Occidental Chemical Corporation
Health	3	PO BOX 809050
Flammability	0	DALLAS, TX 75380-9050
Reactivity	2	972-404-3800

OXYCHEM 24 HOUR EMERGENCY PHONE: 1-800-733-3665 or 972-404-3328
CHEMTREC EMERGENCY PHONE: 1-800-424-9300

DIRECTIONS FOR USE

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE IN RECIRCULATING WATER SYSTEMS

This product is intended for use in the following aquatic sites: Commercial/Industrial Water Cooling Systems, Evaporative Condenser Water Systems, Heat Exchange Water Systems, Industrial Scrubbing Systems, Industrial Auxiliary Water Systems, Industrial Process Water, Industrial Disposal Systems.

This product may be added to the system by direct placement into the water at a point where the product will be uniformly mixed with water. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment begins.

Intermittent or slug method

Initial Dose: When the system is noticeably fouled, add this product at the rate of 18 to 90 grams per 1000 liters (0.15 to 0.75 pounds per 1000 gallons). Feed at a dosage sufficient to provide a total Bromine level of 4.5 to 9.0 ppm, as measured by a suitable test kit. Repeat dosage until residual is achieved.

Subsequent Dose: When microbial control is evident, add this product at the rate of 3.6 to 18 grams per 1000 liters (0.03 to 0.15 pounds per 1000 gallons) in the system to achieve a total Bromine level of 4.5 to 9.0 ppm, as measured by a suitable test kit. Repeat periodically as needed to maintain control.

Continuous feed method

Initial Dose: When the system is noticeably fouled, add this product at the rate of 18 to 90 grams per 1000 liters (0.15 to 0.75 pounds per 1000 gallons) in the system to achieve a total Bromine level of 4.5 to 9.0 ppm, as measured by a suitable test kit. Repeat dosage until residual is achieved.

Subsequent Dose: When microbial control is evident, add this product at the rate of 3.6 to 18 grams per day per 1000 liters (0.03 to 0.15 pounds per day per 1000 gallons) in the system to maintain a total Bromine level of 4.5 to 9.0 ppm, as measured by a suitable test kit.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONS

For use with closed loading and transfer systems only.

- KEEP OUT OF REACH OF CHILDREN.
- Strong oxidizing agent. May cause fire or explosion if contaminated.
- Dangerous gas formed when mixed with acid.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.
- Harmful if swallowed.
- Keep container closed and store in a cool, dry location.
- Wear protective eyewear, chemical-resistant coveralls over long-sleeved shirt, long pants, and chemical-resistant gloves and footwear when handling the concentrate and contacting treated process fluids.

FIRST AID

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. DO NOT discharge effluent containing this product or the biocide produced into sewer systems, lakes, streams, ponds, estuaries, oceans, or other waters unless the effluent has been detoxified by suitable means.

DISPOSAL

1. Triple or pressure-rinse the empty container. Add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product contact the manufacturer and the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

® *OxyChem* and Towerbrom are registered trademarks of Occidental Chemical Corporation