PACE® 40% LIQUID ALGAECIDE

Controls algae in swimming pools

DOMESTIC

ACTIVE INGREDIENT:

Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio)-ethylene dichloride]40%

Reg. No. 25915 P.C.P. Act

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

Net contents: 10 Litres

Innovative Water Care, LLC 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 1-800-654-6911

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not mix with any other chemical. Harmful if swallowed. Avoid contact with skin and eyes.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **IN CASE OF EMERGENCY CALL:** 1-800-654-6911

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DIRECTIONS FOR USE:

- 1. Initial dosage for pool water having no visible algae is 100 mL of PACE 40% LIQUID ALGAECIDE per 10,000 litres of pool water.
- 2. Weekly maintenance dosage is 35 mL of Pace 40% Liquid Algaecide per 10,000 litres of pool water.
- 3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae growth, when superchlorination product is not employed, add 150 mL of Pace 40% Liquid Algaecide per 10,000 litres of pool water.

DISPOSAL:

Rinse container thoroughly before discarding. Do not reuse. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.