

2023-1485  
2023-06-08  
Label correction 2024-05-15

This label has been updated according to the re-evaluation decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation/special review decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing [hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

## Go Green Doktor Doom Indoor/Outdoor Insecticide Spray

### TO KILL INDOOR PESTS IN BUILDINGS:

Spiders, cockroaches, crickets, mosquitos, biting midges, hornets, wasps, ants, carpet beetles, flies, centipedes, silverfish and bed bugs

### FOR USE ON INDOOR ORNAMENTAL HOUSEPLANTS TO CONTROL:

Aphids, two-spotted spider mites and adult whiteflies

### TO KILL GARDEN PESTS ON OUTDOOR ORNAMENTAL PLANTS:

Thrips, leafhoppers, aphids, whiteflies, spotted mites, lace bugs, climbing cutworms, mealybugs, soft brown scale, tent caterpillars, cankerworms, garden webworms and Japanese beetles

DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs)

### DOMESTIC

### PRESSURIZED SPACE AND CONTACT SPRAY

CAUTION EXPLOSIVE

#### ACTIVE INGREDIENTS:

Pyrethrins ... 0.25%  
Piperonyl Butoxide ... 1.25%

REG. NO. 27175 P.C.P. ACT

NET CONTENTS: 50-775 GRAMS

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd. o/a UltraSol Industries Limited\*  
10755-69 Avenue NW  
Edmonton (AB) Canada T6H 2C9  
[www.doktordoom.com](http://www.doktordoom.com)  
780-432-6535

\*100% Canadian Owned and Operated

## DIRECTIONS FOR USE:

**SHAKE WELL BEFORE USING:** This product has a special valve that sprays in all directions even upside down for hard-to-reach areas. Hold can at least 120 cm from all objects and aim nozzle away from person. Press button firmly to spray. Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

## FOR INDOOR USE IN BUILDINGS

### HOW TO APPLY

**DO NOT APPLY AS A BROADCAST TREATMENT.** Apply as a space spray, crack and crevice, perimeter, spot or furniture treatment only.

**SPACE APPLICATION** is a suspension of fine droplets in the air within an indoor space. **CRACK AND CREVICE** is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

**PERIMETER APPLICATION** is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

**SPOT APPLICATION** is localized to a surface area not more than 0.2 m<sup>2</sup>. Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room.

**FURNITURE TREATMENT:** broadcast application covers large areas of the entire surface of items; crack and crevice treatments are applications to junction points on items; spot application is up to 10% of the surface of the item; and tuft and/or seam treatment (mattresses only) is to the junction of two or more pieces of fabric and any decorative trim (e.g., buttons).

### USE LIMITATIONS

- DO NOT apply when people or pets are present.
- DO NOT allow people or pets to enter treated areas until sprays have settled or dried.
- DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.
- When applied as a surface spray: DO NOT apply to overhead areas or in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets). DO NOT allow spray to drip or allow drift onto non-target surfaces.

## INDOOR SPACE APPLICATION

To kill flies, mosquitos, hornets, wasps, biting midges. Close doors and windows and shut off all ventilating systems and sources of ignition before treatment. While holding can upright at arm's length, spray upward in sweeping motion to all parts of the room, especially ceiling, upper corners of the room, windows and other light sources. Keep spray at least 1 m from interior walls, fabrics and furniture. Begin application at far side of the room and work backwards toward exit. Spray for no more than 5 seconds per 30 m<sup>3</sup>. Vacate the treated area and keep windows and doors closed for 15 minutes, then ventilate for 1 hour before re-entry. Following ventilation, clean up dead insects. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

## INDOOR SURFACE APPLICATION

To kill cockroaches, ants, spiders, silverfish, crickets, centipedes, carpet beetles, and bed bugs: Thoroughly treat indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., cabinets and storage units); around sinks, drains and pipes; localized areas around garbage cans; and other building elements where listed insects are found.

For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items.

For ants, also spray trails, nests and points of entry (e.g., around windows and doors). For spiders and centipedes, also spray localized areas of floors and floor coverings. DO NOT exceed 20 g per m<sup>2</sup> (spray for no more than 8 seconds per m<sup>2</sup>)

To kill carpet beetles: Spray edges of carpeting and underneath carpets and rugs. Make localized applications to floors and baseboards. DO NOT exceed 20 g per m<sup>2</sup> (spray for no more than 8 seconds per m<sup>2</sup>)

For bed bugs, DO NOT use on items which can be laundered (e.g., pillows, bedding, toys, clothing, etc.). Remove bedding before treating mattress. Spray mattress, particularly around tufts and seams. Take bed apart and spray the bed frame, springs and all joints. Treated mattress must be dry before replacing laundered bedding. Also apply to indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards and mouldings; and localized areas of walls behind and floors beneath furniture (e.g., bed and nightstand). DO NOT exceed 20 g per m<sup>2</sup> (spray for no more than 8 seconds per m<sup>2</sup>).

## INDOOR ORNAMENTAL HOUSEPLANTS

To kill aphids, two-spotted mites and adult white flies on the following houseplants: African violets, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, neathe bella palm, petunia, rose and snapdragon: DO NOT apply to houseplants that are used for food or feed (e.g., herbs). DO NOT use on greenhouse plants. When listed pests first appear, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. DO NOT exceed 4.8 g per m<sup>2</sup> (spray for no more than 2 seconds per m<sup>2</sup>). Use with caution on new growth and on tender young plants and foliage. Test on one or

two leaves to determine safety. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

## OUTDOOR USE

### FOR USE ON OUTDOOR ORNAMENTAL PLANTS

To kill thrips, leafhoppers, spotted mites, lace bugs, aphids, climbing cutworms, Japanese beetles, mealybugs, soft brown scale, tent caterpillars, cankerworms and garden webworms on the following plants: ornamental crabapple, cherries and plum trees, asters, azaleas, begonias, carnations, camellias, chrysanthemums, geraniums, gladiolas, irises, marigolds, petunias, roses and snapdragons, evergreens, small deciduous trees, shrubs and vines: When listed pests first appear, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. DO NOT exceed 4.8 g per m<sup>2</sup> (spray for no more than 2 seconds per m<sup>2</sup>). Apply in early morning or evening – not in direct sunlight. Spray only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

### USE LIMITATIONS

- DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs).
- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Avoid application of this product when winds are gusty

### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Contents are under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat, or store at temperatures above 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwelling, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maidenhair ferns.

### ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas

### FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

#### STORAGE

Store this product away from food or feed.

#### DISPOSAL:

When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

#### *OPTIONAL LABEL STATEMENTS*

*Multi-directional valve*

*Even sprays upside down for hard-to-reach areas*

*NO CFC's*

*This product has never contained CFC's*