

2014-1102
2014-04-02

[FRONT PANEL - ENGLISH]

MOSQUITO-B-GONä
HOUSE & GARDEN INSECT KILLER

PRESSURIZED SPACE & CONTACT SPRAY

DOMESTIC

GUARANTEE:

D-Trans Allethrin	0.30%
Piperonyl Butoxide	0.60%
N-Octyl Bicycloheptene Dicarboximide	1.00%

REG. NO.: 27515 P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 500 grams

Scotts Canada Ltd.
2000 Argentia Road
Plaza #2, Suite 300
Mississauga, Ontario
L5N 1V8

CAUTION



EXPLOSIVE

[BACK PANEL - ENGLISH]

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. Hold can upright while spraying.

TO KILL HOUSE PESTS:

Flying Insects: Flies, mosquitoes, wasps, biting midges and flying moths. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply 6-10 seconds burst per 30m³ of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1m from interior wall, fabrics and furniture. Ensure proper ventilation after sealed areas have been treated and clean up dead insects. **Crawling Insects:** Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed. **To Control**

Fleas: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

TO KILL GARDEN PESTS: ON FLOWERS AND ORNAMENTALS:

Sucking Insects: Exposed thrips, leafhoppers, spotted mites, lace bugs, aphids. **Chewing Insects:** Caterpillars, climbing cutworms, Japanese beetles. For insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiolas, Irises, Marigolds, Petunias, Roses, and Snapdragons, Evergreens, small Deciduous trees, Shrubs and Vines. Carefully spray with slow sweeping motion keeping 30cm to 45cm away from the plants to avoid wetting the foliage. A light spray kills pests effectively. Spray only when air is still and temperature is under 32°C. Do not spray in direct sunlight, early morning or evening preferred. Use with caution on young plants and new growth. Insects must be contacted by spray to be killed.

OUTDOOR YARD USE: Provides a fogging action over a large area and kills flies, mosquitoes, small flying moths, wasps & hornets. For best results spray when air is ca 1m and temperature is under 30 °C. Allow fog to drift over area. Direct spray towards bushes or grass from at least 1.5 to 2 metres away. Because insects may move in from other areas, treat an area larger than you plan to use. Repeat as necessary.

FOR USE IN GARAGES & COVERED SCREENED PATIOS: Direct spray towards ceiling or rafters using a sweeping motion. Apply 6-10 seconds burst per 30m³ of space. Keep garage closed for 15 minutes. Vacate for at least 15 minutes after each treatment and aerate before re-entering.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maiden Hair ferns. Do not use on vegetable crops.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

™ used under license by Scotts Canada Ltd.

© 2003, Scotts Canada Ltd. World rights reserved.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.