BUSAN® 1058

LIQUID MICROBICIDE

INDUSTRIAL

READ THE LABEL BEFORE USING

REGISTRATION NO.: 26404 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT:	
Dazomet	24.0%



DANGER - POISON DANGER - CORROSIVE TO EYES DANGER - SKIN IRRITANT POTENTIAL SKIN SENSITIZER

NET CONTENTS: Litres

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms. This product is highly to very highly toxic to fish and aquatic invertebrates. Keep out of estuaries, lakes, streams, rivers, or ponds. Do not discharge treated water into these water bodies. Do not contaminate water, food, or feed by storage or disposal.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Buckman Laboratories of Canada, Ltd.

351 Joseph-Carrier Street, Vaudreuil-Dorion (Québec) J7V 5V5

24-HOUR EMERGENCY TELEPHONE NUMBER: Chemtrec 703-741-5970

DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

FOR USE AS A SLIMICIDE TO CONTROL BACTERIA AND FUNGI IN PULP AND

PAPER MILLS: Busan 1058 is a water-soluble broad-spectrum antimicrobial agent which is effective in controlling the growth of bacteria and fungi. Busan 1058 is applicable for use as a slimicide to control the bacterial slime in pulp and paper mills. For use with closed loading and transfer systems only. Dosages of Busan 1058 will depend on such factors as the type of system being treated, the nature and extent of microbiological contamination, the degree of control required, temperature and pH. In general, the dosage for Paper Mills will be 0.25 kg to 2.0 kg per tonne of dry weight stock. For further details please contact your Buckman representative.

DO NOT discharge effluent containing this product or the biocide produced into lakes, streams, ponds, estuaries, oceans or other waters unless the effluent has been detoxified by suitable means.

FOR THE PRESERVATION OF CLAY SLURRIES, ADHESIVES, , AND

HIGH VISCOSITY SUSPENSIONS: For preservation of slurries and high viscosity suspensions, Busan 1058 should be added at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. Add Busan 1058 at use levels of 0.04 - 0.45% by weight, based on the total formulation in slurries of starch, clay, calcium carbonate, or titanium dioxide. High viscosity suspensions (e.g., polymers, silica- polymer combinations), polyvinyl alcohol/polyvinyl acetate-based adhesives, starch-based adhesives; dextrin-based adhesives: The exact amount of material to be added for the preservation of any given formulation will depend on the components and local storage time and conditions. Dosage rates should be determined by actual tests.

NOTE: This product is not to be used in the production of paper, paperboard or any food packaging materials that comes in contact with food.

PRECAUTIONS

DANGER KEEP OUT OF REACH OF CHILDREN

Fatal or Poisonous if swallowed or absorbed through the skin. DO NOT get on skin or on clothing. Harmful if inhaled. Avoid inhaling/breathing vapour or sprays. CORROSIVE to the eye and to skin. DO NOT get in eyes or on skin. Potential skin sensitizer. Avoid contact with eyes, skin, clothing and the contamination of food. Wear coveralls over a long-sleeved shirt and long pants, safety shoes plus socks, chemical-resistant gloves, and full-face protection (e.g., face shield) during mixing, loading, application and all other handling activities. Wear a cartridge respirator if the area is not well ventilated and during clean-up, maintenance, and repair activities. Keep away from open flame. Keep the container closed when not in use.

Handler Use Precautions: Use with adequate ventilation. DO NOT apply the product in open systems. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separately from other clothes before reuse. Store personal protective equipment out of reach of

children and pets. Avoid touching 'clean' surfaces while wearing personal protective equipment (for example: door handles, counter tops), or thoroughly clean these surfaces afterwards with water and detergent. Remove personal protective equipment immediately after handling this product. Remove personal protective equipment in a predetermined area separate from living or working areas. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid touching eyes and face until you have washed your hands. Never use the mouth to siphon product from containers or to blow out clogged lines, nozzles, etc. Repair/replace torn or broken personal protective equipment. Use hot water, heavyduty liquid detergent, the highest water level setting, and the longest wash cycle. Keep and wash personal protective equipment separately from other laundry. If heavily soiled, wash personal protective equipment two or three times. After washing, run the washing machine through a complete cycle with detergent. If possible, line-dry the clothing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Avoid giving alcohol or alcohol related products. Probable mucosal damage following ingestion may contraindicate gastric lavage.

STORAGE

To prevent contamination, store this product away from food or feed.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsing to the treatment site.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.