

2016-3004
2017-06-16

SUPER KILL II ROACH & ANT KILLER

DOMESTIC

PRESSURIZED CONTACT & RESIDUAL
INSECTICIDE SPRAY

FOR CRACK, CREVICE AND SPOT TREATMENTS

KILLS Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants, Fleas,
Carpet Beetles, Brown Dog Ticks.

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE GUARANTEE:

Pyrethrins 0.050%

Piperonyl butoxide 0.100%

N-Octyl bicycloheptene dicarboximide 0.167% Propoxur 0.500%

REG. NO. 26506 P.C.P. ACT

NET CONTENTS:

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

DANGER POISON

CAUTION EXPLOSIVE

DANGER EXTREMELY FLAMMABLE

CAMCO

121 Castle Oaks Crossing

Brampton, ON, L6P 3V3

905 794 8153

For use as a spot and/or crack and crevice treatment only to control the insects listed on the front panel.

DIRECTIONS FOR USE: Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporise into cracks and crevices for insect control. If reinfestation occurs, repeat applications as necessary. Provide adequate ventilation during and after indoor use. **KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.** Do not use in areas where food is processed, handled, served or stored.

INDOOR USE: Thoroughly treat cracks, crevices, spots on baseboards, underneath furniture and equipment, around garbage containers and other places where insects are found. In dwellings, do not use in kitchen or other areas where food is present. After spraying, clean surfaces which may contact food. Remove pets from the room during spraying. Cover or remove aquaria for one hour.

OUTDOOR USE: Spot treatment. Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter.

PRECAUTIONS: **KEEP OUT OF REACH OF CHILDREN.** Do not spray near open flame or spark. Harmful if swallowed, inhaled or absorbed through skin or clothing. Avoid contact with eyes, skin or clothing. **DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY.** Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50 degrees C.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains volatile petroleum distillate. Propoxur is a carbamate cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: When container is empty, press valve to release all remaining pressure, then wrap and discard empty container in household garbage. Do not puncture or incinerate container.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.