

2009-3185
2009-12-03

2011-08-18 PMRA Label Improvement

ELSTON GOPHER GETTER BAIT II

Strychnine Rodenticide Bait (Ready-To-Use) (Granular)
For the Control of Northern Pocket Gophers and Ground Squirrels

DANGER POISON
RESTRICTED USE

READ THE LABEL BEFORE USING - STORE PRODUCT UNDER LOCK AND KEY

GUARANTEE: Strychnine.....0.4%

Warning, contains the allergen soy.

REGISTRATION No. 24988 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 454 g

ELSTON MANUFACTURING INC.

706 North Weber • Sioux Falls, South Dakota 57103

Phone: 605-336-7716 • FAX: 605-336-5623

1-800-845-1385

• **NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

• **NATURE OF RESTRICTIONS:** For sale only to pest control operators, farmers and to persons authorized in government-approved pest control programs where the vendor maintains a record of sales including name, address and signature of the purchaser along with the quality of product purchased.

RESTRICTED USES: For control of Northern pocket gopher (*Thomomys talpoides*), Richardson's, Columbian, Franklin and Thirteen-lined ground squirrels (*Spermophilus richardsonii*, *S. columbianus*, *S. franklinii*, and *S. tridecemlineatus*, respectively).

• **DIRECTIONS FOR USE:** To achieve the most effective control, baiting should be carried out before the birth of the young in mid-April and before alternative green vegetation is available, as a good quality bait may be more attractive at this time. Baiting after this time may result in increased costs (i.e. labour and material) since the availability of alternative foods may reduce the consumption of the bait and affect the levels of control.

Three measures are acceptable for dispensing strychnine bait to control Richardson's, Columbian, Franklin or Thirteen-lined ground squirrels: Strychnine baits may be placed by hand, or used in probes, burrow builders or tamper resistant bait stations as indicated below. Follow instructions below and those on the dispensing equipment to obtain best control and reduce the risk to non-target organisms.

DO NOT SCATTER BAIT OUTSIDE BURROW (ON SOIL SURFACE). Care must be taken to avoid spilling bait on soil surface. All spilled bait must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

For Northern Pocket Gopher Control

1. Hand probes: Refer to label instructions on the "Gopher Getter" device to ensure proper use.

2. Burrow Builders: Refer to detailed instructions in the manual for using the burrow builder to ensure proper tunnel formation and bait distribution. To build a proper burrow, the soil must be damp and the Burrow Builder must be scoured. Probe gopher runways with a broomstick or iron bar to determine depth of the gopher runway. Set machine to the same depth. Make artificial runways 7 m to 10 m apart encompassing the total infested area and then cross the ends. One kg to 2.25 kg of bait will treat one hectare.

3. Hand placement: Carefully open burrow and place 5-15 g of bait well into tunnel. Carefully close burrows without covering bait. A repeat treatment may be necessary where burrows have been reopened and are in active use.

For Ground Squirrel Control

1. Hand placement: Place 5-15 g of bait deep in each opened burrow in such a manner that the bait is not visible from the surface. Close the burrow without burying or covering the bait, and repeat treatment of any opened burrows after one week.

2. Bait Station: As an additional method of control in an above-ground use. Place bait in a tamper resistant bait station and replenish baits as necessary. Remove and bury any dead animals because they can present a

significant poisoning hazard to predatory animals. Do not place bait above ground where it is exposed to non-target species unless it is in a protected bait station.

MONITORING: All the areas where the bait has been used must be monitored on a regular basis for dead animals. In the case of ground squirrels, monitoring must be done on a daily basis for the first week and on a weekly basis for several weeks thereafter. All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep to prevent scavengers from unearthing carcasses.

PRECAUTIONS: Do not contaminate feed and foodstuffs. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. May be fatal if swallowed. Baits should be placed in areas inaccessible to children, pets, wildlife and domestic animals, or in tamper resistant bait boxes. This product should be stored away from children under lock and key. This product is toxic to wildlife. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Toxic to all forms of life. Do not apply this product in a way that will contact workers, other persons, pets or domestic animals. Wear chemical-resistant gloves, a dust mask, long pants and a long-sleeved shirt during mixing/loading, application, clean-up and other handling activities.

ENVIRONMENTAL PRECAUTIONS: This product is toxic to wildlife. Treated grain exposed on a soil surface and poisoned carcasses may be hazardous to birds and other wildlife. All treated grain and poisoned carcasses on soil surface must be collected and disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent non-target poisonings. Toxic to all forms of life.

Species at risk, including the burrowing owl (*Athene cunicularia*) and the swift fox (*Vulpes velox*), are known to frequent habitat occupied by ground squirrels. DO NOT APPLY THIS PRODUCT IF THESE OR OTHER SPECIES AT RISK THAT MAY FEED ON STRYCHNINE BAIT OR GROUND SQUIRRELS ARE PRESENT IN YOUR AREA. For information on species at risk in your area, contact your local provincial or federal wildlife officials.

FIRST AID:

IF SWALLOWED: Obtain medical attention immediately. Consult a poison control centre for detailed information on treatment for strychnine poisoning. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and immediately flush with large amounts of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Wash exposed area of skin with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Central nervous system stimulant. Convulsions may occur within 5 to 10 minutes of ingestion. If the person is fully conscious and not convulsing a few moments after the ingestion, immediate ingestion of activated charcoal has been proven beneficial. Keep the patient in a warm, dark room with minimal sensory stimulation. Postpone gastric lavage until the patient is fully premedicated to control further convulsions or seizures. Artificial respiration may become necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can be performed safely.

STORAGE OF UNUSED BAIT: The unused bait can be stored in its original container, and keeps its killing effect. It is not affected by heat or cold.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused product, contact the provincial regulatory agency or the manufacturer.

CARCASSES DISPOSAL (Target and Non-target Species): All carcasses must be disposed of by incineration or burial in a pit no less than 46 cm (approximately 18 inches) deep and then covered to prevent scavengers from unearthing carcasses.

DISTRIBUTED BY:

AGRI-CAN DISTRIBUTORS LTD
Box 63, Site 2, RR #2
Sundre, Alberta, Canada T0M 1X0
Phone 403-931-2369

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.