

2012-3342
2013-04-26

BIOSOLV-PQ

LIQUID MICROBIOCIDE

SOLUTION

INDUSTRIAL
READ THE LABEL BEFORE USING

REGISTRATION NO.: 26281
PEST CONTROL PRODUCTS ACT

GUARANTEE:

Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)-ethylene dichloride]...15% (by weight)

NET CONTENTS: Liters

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage or disposal.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

1217826 Ontario Inc.
6-295 Queen St. E Suite 407
Brampton, Ontario L6W 4S6
905-458-8477

**BROAD SPECTRUM LIQUID MICROBIOCIDE
FOR THE CONTROL OF ALGAE
BACTERIA AND FUNGI**

**NON FOAMING
EFFECTIVE AT BOTH ACID AND
ALKALINE pH**

DIRECTIONS FOR USE

1) Cooling Tower Systems:

Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 280 to 700 mL per 10, 000 liters of water should then be added to the sump of the cooling water tower. Repeat the initial dose until control is evident. Subsequent slug additions of 80 to 700 mL per 10,000 liters of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleed off and the severity of the microbiological problem.

2) Industrial Air Washing Systems:

Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 100 to 160 mL per 1000 liters of water should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 70 to 160 mL per 1,000 liters of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleed off and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN. Do not mix with any other chemical. Harmful if swallowed. Avoid contact with skin and eyes, clothing and the contamination of food. Wear a long-sleeved shirt and long pants, chemical-resistant gloves during handling, clean-up and repair activities. In addition, a chemical-resistant apron is required for workers handling end-use products in industrial settings. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: *Note to physician:* Probable mucosal damage following ingestion may contraindicate gastric lavage. Avoid giving alcohol or alcohol related products.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.