

25-NOV-2009

2009-3659

FRONT PANEL

=====

S.C. Johnson®

Raid®

WASP & HORNET KILLER 5

•NO CFC'S•

SHOOTS 4 METERS

PRESSURIZED SPRAY / DOMESTIC

400g

KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL BEFORE USING

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

## SIDE PANEL

=====

Twist and snap off tab before spraying.

Kills wasps and hornets on contact. Kills larvae and pupae in nests. Poisons the nest.

**DIRECTIONS: FOR OUTDOOR USE ONLY:** Hold can as upright as possible while spraying. Stand safe distance from nest (2 to 4 m) and aim nozzle toward nest, with wind at your back. Spray until nest is thoroughly wet, directly hitting resting wasps or hornets. Best time to spray is early morning or evening, as wasps and hornets congregate in nests at night. Not a space spray. Do not spray insects while they are flying. Do not stand directly under nest. Avoid direct spraying on vegetation. Avoid excessive wetting of asphalt materials.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Harmful or fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not directly spray toward face. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not smoke while using. Do not apply to humans, pets or contaminate feed, foodstuffs, dishes or utensils. Wash hands thoroughly after use. **CONTENTS UNDER PRESSURE.** Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. This product is toxic to fish and aquatic invertebrates. Do not apply to, allow drift or dispose of product in lakes, rivers, streams or ponds. Direct treatment or residues of this product are highly toxic to bees. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**FIRST AID:** If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Atropine is antidotal. Treat symptomatically. Contains petroleum distillate.

**DISPOSAL:** When empty press button to release pressure, wrap and dispose of in household garbage.

**GUARANTEE:** Permethrin 0.124%, Tetramethrin 0.119%. REG. NO. 25745 P.C.P. ACT.

Questions? Comments? Call 800-558-5566 or write Helen Johnson. ©Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. Reg'd user S.C. JOHNSON AND SON, LIMITED Brantford, Ont., Canada N3T 5R1

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.