CUTTER® UNSCENTED BACKWOODS® INSECT REPELLENT PUMP SPRAY

MOSQUITO REPELLENT Contains Deet

Repels Mosquitoes for 6 hours

Long Lasting Protection from Mosquitoes, Black Flies, Biting Midges

DOMESTIC

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

REG. NO. 26212 P.C.P. ACT

GUARANTEE:

DEET plus related active toluamides (ortho & para isomers) 23.00%

CAUTION

FLAMMABLE

175 mL

United Industries Corp. P.O. Box 142642 St. Louis, MO U.S.A. 63114-0842 **DIRECTIONS FOR USE**: Repels mosquitoes, black flies, deer flies, stable flies, biting midges, ticks and chiggers. Sprays at any angle, even upside down. Hold container 15-20 cm away, apply sparingly, to skin and clothing (except synthetics) not under clothing and only when necessary. Reapply after 6 hours if necessary. TO APPLY TO FACE: Spray hands and apply avoiding eyes and mouth. Wash hands, after application. Do not spray in enclosed spaces. Will not damage nylon, cotton or wool. Avoid contact with plastic, watch crystals and synthetic fabrics such as acetate rayon and dynel. May damage leather, furniture finishes, plastics and painted surfaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT USE ON CHILDREN UNDER 12 YEARS OF AGE. Causes eye irritation. Avoid contact with eyes and mouth, cuts, wounds and sunburned skin. DO NOT USE IN THE PRESENCE OF AN OPEN FLAME OR SPARK. Do not contaminate food or utensils.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If irritation or other adverse effects develop wash with soap and water immediately. Seek medical attention, if symptoms persist. If swallowed, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse container. When container is empty, discard in household garbage.

Questions or comments? Call 800-767-9927

United Industries Corp., P. O. Box 142642, St. Louis MO 63114-0842, U.S.A.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.