[FRONT PANEL - ENGLISH]

REFILLABLE FAST-ACTING FORMULA RESULTS IN 24 HOURS!

THE EASIER WAY TO SPRAY! 1 PULL = 40 TRIGGER SPRAYS [FLASH]

With New FastAct® Foam ... see exactly where you've sprayed!

ROUNDUP® READY-TO-USE With FastAct® Foam Pull'N Spray®

DOMESTIC NON-SELECTIVE HERBICIDE GRASS AND WEED CONTROL CONTROLS ENTIRE PLANT, INCLUDING THE ROOT RAIN-PROOF™ IN TWO HOURS WATER-BASED

NET CONTENTS: 5 L CONTAINER TREATS 100 SQUARE METRES

ACTIVE INGREDIENT: Glyphosate 7 g/L (present as isopropylamine salt)

> REG. NO.: 26263 P.C.P. ACT

Contains 5-Chloro-2-methyl-4-isothiazolin-3-one at 0.0006% and 2-Methyl-4-isothiazolin-3-one at 0.0002% as preservatives. *or* Contains 1,2-Benzisothiazolin-3-one at 0.0193% as a preservative.

> KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

Bayer CropScience Inc. Suite 200, 160 Quarry Park Blvd. SE Calgary, AB T2C 3G3 1-866-476-7645

Made and printed in U.S.A.

[LABEL FOR APPLICATOR WAND - ENGLISH]

Pull Out Slowly

[L0044133000]

[BACK PANEL (OUTSIDE PEEL BACK) - ENGLISH]



With fast and easy pressure sprayer.

[TEXT FOR INSIDE ARROW]	[ILLUSTRATION #1]	[ILLUSTRATION #2]	[ILLUSTRATION #3]	[ILLUSTRATION #4]
Pull'N Spray® • The easier way to spray • No hand fatigue	 Remove sprayer from side carrier and unwrap hose completely. Insert plug at end of hose into [spout/knob/ opening] on cap until it clicks. [Flip up spout./Flip up spout./Flip up spout until fully upright./Twist [spout/knob] to "ON"./Pull spout up.] 	 Point sprayer away from body. Grasp sprayer by the handle. Slowly pull ring at bottom of sprayer handle until it stops to ready the sprayer. 	 Turn nozzle to desired position - FOAM or STREAM. FOAM marks weeds for up to 5 minutes, allowing you to easily see where you've sprayed. STREAM provides coarse spray that does not foam. 	 Press button on sprayer to begin spraying and hold down for continuous spray. Pull ring at sprayer bottom again as needed for additional spraying.

PRECAUTIONS:

CAUTION: EYE IRRITANT. HARMFUL IF SWALLOWED. Avoid contact with eyes or prolonged contact with skin. Do not allow others such as children and pets on treatment area during application or to re-enter treated areas until spray has dried. Wash immediately after using this product. Do not contaminate water, foodstuffs, seed or feed by storage or disposal.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water or milk if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

DISPOSAL:

Wrap and dispose partially used or empty container with household garbage. Do not reuse empty container except to refill in accordance with refill instructions.

Product Use Information: 1-866-476-7645

Web Site: www.roundupcanada.ca

[BACK PANEL (INSIDE PEEL BACK) - ENGLISH]

ROUNDUP® is a non-selective grass and weed killer which controls most annual and perennial grasses, including lawn grasses, broadleaf weeds and brush (i.e. virtually anything that is green and growing). A systemic herbicide, it is absorbed by the leaves and moves throughout stem and roots to control the entire plant. Visible symptoms of control, such as browning or yellowing of leaves, will occur within 1-2 days. For best results, to ensure that Roundup® gets down to the roots, avoid tillage or disturbing the treated area for 7-10 days (or as otherwise specified on the label). This will ensure that the entire plant, including the root, is eliminated. Rain or watering two hours after application will not wash away effectiveness.

NOTE: Roundup® has no soil activity and will not leach or run off to affect nearby vegetation. Plants must be present to be controlled. Repeat applications will be required as new seedlings and vegetation emerge.

NOTE: AVOID SPRAY CONTACT ON DESIRABLE PLANTS AS ANY PLANT MAY BE KILLED BY CONTACT.

CONTAINER USE AND STORAGE DIRECTIONS:

Follow illustrations and instructions to ready the sprayer. Twist nozzle to desired position - FOAM or STREAM. FOAM marks weeds for up to 5 minutes, allowing you to easily see where you've sprayed. STREAM provides coarse spray that does not foam. Point sprayer at unwanted weeds or grasses and press sprayer button to begin spraying. Hold down for continuous spray. Pull ring at sprayer bottom again as needed for additional spraying. Completely dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. [Close spout on cap./Flip down spout on cap./Flip spout down to the "flat" position to close./Twist [spout/knob] to "OFF"./Push spout down.] NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Place sprayer back in side carrier on bottle with the nozzle facing down. Store this product in its original container in a secure area away from children and pets. Protect container from freezing.

REUSE AND REFILL INSTRUCTIONS:

- 1. Refill **ONLY** with Roundup® Concentrate following the directions in #3 below. Do not use this container for other products.
- For refilling, remove the entire pumping mechanism. Prepare Roundup® Concentrate carefully following refill instructions below:
- 3. Roundup® Concentrate PCP# 22627
 - a) Measure 250 mL of Roundup® Concentrate into the empty container.
 - b) Add 5 litres of clean water to container.
 - c) Prepared solution will cover 100 square metres (10 paces x 10 paces).

d) Follow "Application Directions" below.

APPLICATION DIRECTIONS:

Glyphosate is not to be applied using hand-wicking or hand-daubing methods.

USE	APPLICATION	CONTROLS	COVERAGE
Undesirable vegetation control (i.e. hard to mow areas, around buildings). Lawn trimming/edging, patio weed control, vacant lots, storage & recreational areas, driveways.	Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For perennial weeds apply after seed heads, flowers or berries appear.	Most annual and perennial grasses and weeds, such as quackgrass, chickweed, ragweed, knotweed, poison ivy, Canada thistle,	Ensure uniform and complete spray coverage but not to the point of run- off. Container treats a total of 100 square metres (10 paces x 10
Around Trees/Shrubs/ Ornamentals	Apply around base in a neat fashion. Avoid spray or drift contact with foliage, stems or green bark of desirable plants.	milkweed, bindweed.	<pre>paces*) *1 pace = approx. 1 metre</pre>
Lawn/Garden renovation	For best results on lawns, skip one mowing prior to treatment. Allow at least 3 days after treatment before disturbing the soil and/or replanting.		
Brush control	Apply after leaves are fully expanded. Treat trees and brush up to 1.5 m in height only; for taller plants cut down and spray regrowth.	Most brush such as Poplar, Alder, Maple and Raspberry	

CAUTION:

Avoid spray contact on desirable plants as any plant contacted may be killed. Do not spray in windy conditions. Do not spray to the point of run-off. Rain or watering two hours after application will not wash away effectiveness. However, heavy rainfall immediately after application may wash the chemical off the foliage and repeat treatment may be required. Do not apply if rainfall is forecast for the time of application.

Roundup® is a registered trademark of Bayer Group. Used under license ©2023 Bayer Group. All rights reserved. FastAct is a registered trademark of Bayer Group. Used under license ©2023 Bayer Group. All rights reserved. Rain-Proof is a trademark of OMS Investments, ULC Green Cross and Pull'N Spray are registered trademarks of OMS Investments, Inc.

Canadian patent 936,865. Other patents pending.

Not for reformulation or repackaging