

PRESSURIZED SPACE AND CONTACT SPRAY KILLS FLYING & CRAWLING INSECTS Including House Flies, Ants, Bedbugs, Earwigs, Spiders, Fleas, Leafhoppers, Aphids & Caterpillars.

DOMESTIC

REG. NO. 26208 P.C.P. ACT

GUARANTEE: d-Phenothrin 0.20% Tetramethrin 0.20%



READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

350 g (500 g)

Sure-Gro IP Inc. P.O. Box 21001 Bratford, ON N3U 1E7 Telephone #: 1-800-268-2806. **DIRECTIONS FOR USE:** Shake well before using - Hold can upright while spraying.

FOR INDOOR AND OUTDOOR USE:

FLYING INSECTS: Flies, gnats, mosquitoes, hornets, wasps, whiteflies (indoor plants only), and small flying moths. Close all doors and windows and direct spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average room. Direct mist into areas where insects are present. Vacate for at least 15 minutes and aerate before re-entering. Spray around light fixtures.

CRAWLING INSECTS: Ants, Carpet Beetles, Centipedes, Caterpillars, Cockroaches, Crickets, Fleas, Silverfish, Earwigs, Mealybugs and Spiders. Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry. Bed Bugs: Spray mattress, particularly around seams and tufts. Take bed apart, spray all joints. Repeat as required.

FLEAS: Spray animal sleeping quarters and floors around area, but not furniture or carpets that people regularly contact. Remove old bedding and replace with clean bedding after treatment. DO NOT SPRAY PETS.

For other insects listed above spray around doorframes and window frames both indoors and outdoors.

HOUSEPLANT PESTS: Kills Ants, Aphids, Caterpillars, Leafhoppers, Spiders, Whiteflies, Mealybugs, and Spider Mites on houseplants such as Ivy, African Violets, Impatiens, Geraniums and begonias. Hold container 45 cm to 60 cm from plants being sprayed. Cover upper and lower surfaces of leaves. Avoid wetting foliage with spray. Use short bursts of 1 second for spot application on new growth. Use with caution on young plants and new growth.

GARDEN INSECTS: Spray outdoor flower and ornamental plants such as Roses, Chrysanthemums, Azalea, Geraniums, Peonies, Dahlias, Carnations, Gladioli, Asters, Camellias, Delphiniums, other flowering plants, Evergreens and Deciduous Shrubs.

TO KILL: Aphids, Japanese Beetles, Ants, Caterpillars, Leafhoppers, Spide Mites, Whiteflies, Mealybugs, and Eastern Tent Caterpillar. Hold container 45 to 60 cm. from plants being sprayed. Cover upper and lower surfaces of leaves. Avoid wetting foliage with spray. Use short bursts of 1 second for spot application on new growth. Spray preferably in early morning or evening when air is still to avoid drifting. Do not spray when temperature is over 30 °C.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. Do not spray pets or other animals with this product. Avoid contamination of foodstuffs. Do not use in commercial food processing or preparation areas. In the home, all processing surfaces and utensils should be covered during treatment, or thoroughly washed and rinsed before use. Remove or cover exposed

food. Remove all pets and birds and cover fish aquariums before spraying. Vacate room for at least 15 minutes after spraying, and aerate before re-entering. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50 °C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on Maiden Hair Ferns. Do not use on vegetable crops.

FIRST AID: IF SWALLOWED, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor fortreatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not use empty container. When container is empty, press valve to release all pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.cil.nu-gro.com

C-I-L Oval® ICI Canada Inc. / Lic. Nu-Gro.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.