

DIRECTIONS FOR USE**SHAKE WELL BEFORE USING.**

Affix trigger, pump or other type of sprayer to container for application. Do not transfer to another container.

INDOOR APPLICATION: For spot application only. Do not use as a space spray or broadcast application indoors. **SURFACE SPRAYING: TO CONTROL COCKROACHES, SOBBYGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICKETS, RICE WEEVILS AND RED FLOWER BEETLES:** Direct the spray into hiding places, cracks and crevices and behind shelves and drawers. For silverfish, spray bookcases. For ants spray trails, nests and points of entry.

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

TO CONTROL FLEAS (ADULT AND LARVAE AND TICKS (ADULT AND LARVAE): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and doorframes. Apply to infested floor areas as a spot spray only, not as a space or broadcast spray. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treatment areas.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least 90 centimetres (three feet) from fabric to avoid staining. Allow articles to dry before handling and launder clothes before wearing.

OUTDOOR APPLICATION: To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 1.8 to 3 metres (6-10 feet) wide and adjacent to activity areas, especially where dense vegetation occurs.

TO CONTROL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill WHITEFLIES AND APHIDS. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuchsia, geraniums, Crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stock, wandering Jews and zinnias. Effective when used as directed against APHIDS, PAVEMENT ANTS AND WHITEFLIES.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food, feed, cooking utensils or drinking water. Remove pets and birds and cover fish aquarium before surface applications. After use and at least one (1) hour drying time, wash all surfaces that may contact food. Do not use on humans. Do not allow people or pets to contact treated areas until surfaces are dry. This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, rivers, streams, ponds, tidal marshes and estuaries. Do not contaminate the above-mentioned aquatic areas through spray drift, cleaning of equipment or disposal of waste. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Applications should be timed to provide the maximum interval between treatment and the next period of bee activity.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse container. Wrap in several layers of newspaper and discard in trash.

Specially manufactured for :

Eco Pest Inc
Pest Control & Tree
Spraying

9248 - 34A Ave. Edmonton.
 Tel 403 448 2661 Fax 403 944 6910
 AB T6E 5P4

Eco
SUPERBUG BUSTER



FOR DOMESTIC USE BOTH INDOORS AND OUTDOORS.
A READY-TO-USE PERMANENT STABLE EMULSION INSECTICIDE
FOR CONTROL OF FLEAS AND BROWN DOG
TICKS ON PREMISES
KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING
 Contains 1,2-benzisothiazolin-3-one at 0.019% as a preservative.
 REG. NO. 2505 P.C.P. ACT

GUARANTEE Permethrin 0.25%
 NPI-BUGCON 415 Mac Kenzie Av. Unit 9, Ajax, Ontario L5S 2Z2
 Web: bugcon.com E-mail: gix@orbiconada.com