

2011-3033
2011-10-18

KING
SLUG & SNAIL PELLETS

MOLLUSCICIDE
PELLET

DOMESTIC

A READY-TO-USE BAIT THAT ATTRACTS AND KILLS SLUGS AND SNAILS

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

REGISTRATION NO. 28287 PCP ACT
CHILDREN/PETS
PROHIBITION SYMBOL

GUARANTEE: Metaldehyde.....2.75%

CAUTION
POISON
SYMBOL

Warning, contains the allergen wheat
DOGS AND CATS ARE ATTRACTED TO THIS PRODUCT.
FATAL POISONING CAN RESULT FROM INGESTION.
READ LABEL BEFORE USING

Contains BITREX® to make pellets less palatable to birds and domestic animals

NET CONTENTS: up to 2 kg

KING HOME & GARDEN INC.
3-304 STONE ROAD WEST, SUITE 331, ONTARIO N1G 4W4

DIRECTIONS FOR USE:

Keep people and pets out of area during application. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the product is no longer visible.

Application to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e. on soil or mulch) directly surrounding plants listed for use on the label.

Broadcast and foliar applications are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within 30 cm of vegetable plants or fruit bearing plants not listed on this label. Avoid applying pellets in piles that may attract pets.

SLUG PELLETS attract and kill slugs and snails. The removal of bricks, boards, large rocks, trash piles or other material which might shelter snails and slugs is helpful in their control. Some slugs and snails may be removed during daylight hours by hand. Evenings is the most appropriate time to apply as slugs and snails travel and feed mostly at night. Watering in the morning, to reduce humidity during the night, aids in their control. Moisten pellets slightly and cover with boards, bricks, flat stones, etc. Covered bait stations are more attractive to slugs. Keep pellets out of reach of dogs, cats and birds.

Use Around	Maximum Application Rate Tablespoons per linear metre	Maximum Number of Applications/Year	Minimum Application Interval (day)
Cole crops and other leafy greens, Lettuce, Tomato, Strawberry	3	3	14
Ornamentals	3	3	21

PRECAUTIONS: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible. For additional precautionary measures, see **DIRECTIONS FOR USE** and **STORAGE DISPOSAL**. Toxic to aquatic organisms. Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants. Toxic to birds and small wild mammals. Collect and remove any product that is spilled.

FIRST AID:

If on skin or clothing; Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical attention as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian or when going for treatment. Metaldehyde is a systemic poison. There is no antidote. The following instructions are not intended for lay people. There is no home treatment. Exposed individuals and animals should receive emergency care as soon as possible.

TOXICOLOGICAL INFORMATION:

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely:

seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

PETS: Animals are typically exposed by ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration and increased body temperature. Monitor liver function post recovery.

STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging in a cool, secure location and out of reach of children and pets.

DISPOSAL: Do not reuse empty container. Wrap and discard in household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product

BITREX® is a registered trademark of Macfarlane Smith Limited.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.