TURBOCHARGE® 2 Adjuvant

COMMERCIAL (AGRICULTURAL)

Emulsifiable Concentrate

A Spray Tank Adjuvant
For use with ACHIEVE® Liquid Herbicide, Liquid ACHIEVE SC Herbicide, and ACHIEVE40SC Herbicide.

ACTIVE INGREDIENTS:

Mineral Oil	50.0%
Surfactant Blend	40.0%

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. **29449**PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1 L - BULK

Syngenta Canada Inc.

140 Research Lane, Research Park Guelph, Ontario N1G 4Z3 Telephone: 1-877-964-3682

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia. If ingestion has occurred less than 2 hours earlier, carry out careful gastric lavage. Treat symptomatically.

Treat symptomatically for skin and eye irritation.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Do not breathe spray mist. Keep product away from fire, open flame, lighted electric bulbs and other sources of heat. Do not allow water to be introduced to contents of this container. May cause skin and eye irritation. Do not get on skin or in eyes. Wear chemically resistant gloves when handling.

STORAGE

Store away from food and feed and all sources of heat. Keep container closed. Do not allow water to be introduced to the contents of this container.

SPILL CLEANUP

- 1. Spread a suitable absorbent such as clay or other absorbent on the liquid.
- 2. Place sweepings in an open drum.
- 3. Generously cover the contaminated area with a common household detergent. Using a stiff brush, work the detergent into the spill material using sufficient water to form a slurry. Brush the slurry into cracks and crevices, and allow to stand for 2 to 3 minutes.
- 4. Spread a suitable absorbent such as clay or other absorbent on the slurried liquid, and shovel the absorbed material into an open drum.
- 5. Repeat if necessary.
- 6. Flush area with water, while observing proper environmental precautions.
- 7. Seal drum and dispose of contaminated material in accordance with municipal or provincial recommendations. See DISPOSAL section.

DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL:

FOR RECYCLABLE CONTAINERS:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

FOR REFILLABLE CONTAINERS:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING, CALL 1-800-327-8633 (FASTMED)

PRODUCT INFORMATION

TURBOCHARGE® 2 Adjuvant is an emulsifiable oil product. It is designed for use as a spray tank adjuvant for use with ACHIEVE Liquid Herbicide, Liquid ACHIEVE SC Herbicide and ACHIEVE 40SC Herbicide on wheat and barley.

DIRECTIONS FOR USE

TURBOCHARGE 2 Adjuvant must always be used with ACHIEVE Liquid Herbicide, Liquid ACHIEVE SC Herbicide, or ACHIEVE 40SC Herbicide. Use as a 0.5% v/v adjuvant (0.5 L TURBOCHARGE 2 Adjuvant per 100 L of spray mixture). Refer to the ACHIEVE Liquid Herbicide, ACHIEVE 40SC Herbicide or Liquid ACHIEVE SC Herbicide label for further details on rate of use and mixing instructions.

TURBOCHARGE® are trademarks of a Syngenta Group Company.