2023-7184 2024-08-13

This label has been updated according to the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 08-29-2025 in accordance with the phase out period set out in the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

DIRECTIONS FOR USE

NOTE: The water in the systems treated with this product must not come into direct contact with food or beverage. Residual chemicals from the product on the exterior of the cans, bottles or other containers are effectively removed by potable water wash at discharge end.

Fish Processing Plants:

Use to treat influent processing water for microbial control. Product should be fed into incoming water source with appropriate metering equipment and monitor in controls so it should not exceed 3 ppm total chlorine. Poultry:

Poultry carcasses or parts may be dipped or sprayed with water containing up to 50 ppm total available chlorine. Carcass contact surfaces (e.g. automatic evisceration equipment, transfer belts, cut-up belts, etc.) may be sanitized with water containing up to 200 ppm total available chlorine provided the surfaces are well drained prior to contact with poultry carcasses or parts.

• Carcass spray washers

Operators wishing to reduce the bacterial count on poultry carcasses should add 20 to 50 ppm total available chlorine to all their carcass washers (e.g. post scalding shower, post defeathering shower, post carcass transfer shower, final inside outside carcass shower).

• Automatic poultry evisceration equipment Spray cleaning carcass contact surfaces of automatic poultry evisceration equipment with water containing 20-200 ppm total available chlorine has been shown to effectively reduce bacteria counts on such surfaces which in turn should decrease cross contamination to subsequent carcasses.

Reprocessing

Reprocessed carcasses require a rinse with a sanitizing agent. Spray washing visibly clean carcasses with water containing 20 to 50 ppm total available chlorine.

• Water immersion chillers

A 20 to 50 ppm free available chlorine solution should be added to the make –up water line such that a total available chlorine residual is maintained in the chiller overflow water. Chlorine has been shown to be effective in killing pathogenic bacterial washed off the poultry carcasses and thus reduce the cross contamination of other carcasses within the chill tanks.

ENVIRONMENTAL PRECAUTIONARY STATEMENT

Toxic to aquatic organisms. This registration is granted under the Pest Control Products Act and does not exempt the user from any other legislative requirements. Use of this product and management of any resulting discharge or release of effluents containing this product must be in accordance with the Fisheries Act and with any other applicable federal or provincial legislation. Consult with provincial regulatory authorities on any

CONTROLCHEM 2620 LIQUIDMICROBIOCIDE SOLUTION

FOR FOOD PLANT USE

READ THE LABEL BEFORE USING

Active Ingredient: Available Chlorine present as Sodium Hypochlorite 10.30 % (by weight)

> REGISTRATION No.: 28934 PEST CONTROL PRODUCT ACT NET CONTENTS: 235 KG

DANGER CORROSIVE TO EYES AND SKIN

The pictogram for DANGER CORROSIVE

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN
- Harmful if swallowed.
- CORROSIVE to the eye. DO NOT get in eyes.
- CORROSIVE to the skin. DO NOT get on skin.
- Harmful if inhaled. Avoid breathing vapour or mist.
- WARNING DANGEROUS GAS FORMED WHEN MIXED WITH ACID.
- DO NOT RE-ENTER TREATED AREA UNTIL TWO HOURS AFTER SPRAY OR FOGGING APPLICATIONS.

Wear long-sleeved shirt, long pants, chemical-resistant gloves, protective eyewear (googles or face shield), socks and shoes when handling this product. Avoid contamination of food and cloth. Use with adequate ventilation. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse. Do not reuse empty container. Keep container closed when not in use. Keep out of sunlight.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth –to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

STORAGE

Store this product away from food or feed. Keep upright in a cool, dark place. Do not freeze.

DISPOSAL

Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Triple or pressure rinse the empty container. Add the rinsing

authorizations or other requirements for use of this product and management of any resulting discharge or release of effluents containing this product.	ControlChem Canada Ltd. 4460 Harvester Road Burlington, Ontario L7L 4X2 (905) 319-2234	to the treatment site. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

2023-7184 2024-08-12