

2023-06-07  
2023-1687

This label has been updated according to the re-evaluation decision for Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until September 2, 2024 in accordance with the phase out period set out in the re-evaluation decision for Pyrethrins RVD2023-06. This previously approved label will be provided upon request by emailing [pmra.info-arla@hc-sc.gc.ca](mailto:pmra.info-arla@hc-sc.gc.ca). In your email please include the product name and Registration number of the label you are requesting.

# Go Green Doktor Doom Botanic Plant Spray

PRESSURIZED

For use on indoor ornamental houseplants to kill aphids, spotted mites, thrips, adult whiteflies

For use on pear trees, tomatoes, beans, grapevines and outdoor ornamental plants to kill thrips, leafhoppers, spotted mites, lace bugs, aphids, adult whiteflies, climbing cutworms, Japanese beetles, flea beetles, armyworms

DOMESTIC

ACTIVE INGREDIENT: Pyrethrins ... 0.20%

REG. NO. 27680 P.C.P. ACT

NET CONTENTS 150-775 grams

CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd. o/a UltraSol Industries\*

10755-69 Avenue  
Edmonton, Alberta  
Canada T6H 2C9  
(780) 432-6535

\*100% Canadian Owned and Operated

## DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING. This product has a special valve that sprays in all directions even upside down for hard-to-reach areas.

### FOR USE ON INDOOR ORNAMENTAL HOUSEPLANTS

To kill aphids, spotted mites, thrips, adult whiteflies on houseplants such as African violet, begonia, English ivy, geranium and impatiens: When listed pests first appear, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. When spraying, hold can 1 m from plants to avoid wetting the foliage. To enhance effectiveness of this product, apply directly to the listed pests where possible. DO NOT exceed 4.6 g per m<sup>2</sup> (spray for only 2-3 seconds per m<sup>2</sup>). Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

### USE LIMITATIONS

DO NOT apply to houseplants grown for food or feed (e.g., herbs).

DO NOT use on greenhouse plants.

DO NOT apply to overhead areas or in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets).

Ventilate treated indoor areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.

DO NOT apply when people or pets are present.

DO NOT apply to surfaces that may come into contact with food/feed.

Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment.

DO NOT allow people or pets to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces.

### FOR OUTDOOR USE ON PEAR TREES, TOMATOES, BEANS, GRAPEVINES AND OUTDOOR ORNAMENTAL PLANTS

To kill the following sucking insects: Thrips, leafhoppers, spotted mites, lace bugs, aphids, (adult) whiteflies and the following chewing insects: climbing cutworms, Japanese beetles, flea beetles and armyworms on pear trees, tomatoes, beans, grapevines and the following outdoor ornamental plants: asters, azaleas, begonias, chrysanthemums, dahlias, delphiniums, gladiolas, irises, marigolds, petunias, roses, snapdragons, evergreens, small deciduous trees, shrubs and vines: When listed pests first appear, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. When spraying, hold can 1 m from plants to avoid wetting the foliage. To enhance effectiveness of this product, apply directly to the listed pests where possible. DO NOT exceed 4.6 g per m<sup>2</sup> (spray for only 2-3 seconds per m<sup>2</sup>). Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Apply in early morning or evening - not in direct sunlight. Spray only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

## USE LIMITATIONS

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Avoid application of this product when winds are gusty.

DO NOT spray pear trees, tomatoes, beans or grapevines within 3 days of picking. Wash listed fruit and vegetables before eating.

## PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat. DO NOT puncture or incinerate container, or store at temperatures over 50°C. DO NOT spray closer than 1 m to fabric. DO NOT spray near open flame, spark or while smoking. DO NOT contaminate any body of water. Avoid contact with skin, eyes, and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. DO NOT use on Maidenhair ferns.

## ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

## FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## TOXICOLOGICAL INFORMATION:

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

## STORAGE:

Store this product away from food or feed.

**DISPOSAL:**

When container is empty, press valve to release all pressure. Wrap and dispose of empty container in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

*OPTIONAL MARKETING STATEMENTS*

*Kills & Repels Insect Pests on Contact*

*Contains a botanical insecticide derived from the Chrysanthemum Flower*