

**Principal Display Panel:**

**RODE-TROL®  
RODENT CONTROL BAIT FOR MICE AND RATS - DOMESTIC**

Rodenticide Pellets  
Controls Mice and Rats

Mice and rats die in days.  
Controls rats and mice resistant to conventional rodenticides.

**DOMESTIC  
READ THE LABEL BEFORE USING**

**GUARANTEE:**  
Cellulose from Powdered Corn Cobs... **42.75%**  
Reg. No. 28916 P.C.P. ACT

**NET CONTENTS:** 0.54-19.98 kg (60 g place packs X 9 to 333 place packs)  
**FOR INDOOR USE ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

Verdesian Life Sciences U.S., LLC  
1001 Winstead Drive, Suite 480  
Cary, NC 27513  
United States  
919-825-1901

**Secondary Display Panel:****GENERAL INFORMATION**

For the Control of Mice And Rats

Rode-trol® Rodent Control Bait for Mice and Rats - Domestic is a product for the control of mice and rats. Mice must feed exclusively on Rode-trol® Rodent Control Bait for Mice and Rats - Domestic for a minimum of 3 days for death to occur while rats must feed exclusively for a minimum of 8 days for death to occur.

**DIRECTIONS FOR USE**

Remove all food sources prior to treatment. Place bait stations where there are signs of mouse or rat activity such as fresh droppings or near burrows, runs, feeding places and points of entry. Optimal application times are during periods of limited food supply and high activity. Keep package contents tightly sealed to prevent the bait from acquiring an undesirable odour.

**Bait Station Application for Indoor Use (Buildings such as Homes and Barns):**

Remove all food sources prior to treatment. For the control of mice and rats, use one place pack of Rode-trol® Rodent Control Bait for Mice and Rats - Domestic in commercially available bait stations. Mice and rats are sporadic feeders, so several bait stations are required. Place bait stations 1.2 to 1.8 m apart. Maintain an uninterrupted supply of fresh bait for at least 6-8 days for mice and at least 8 days for rats, or until signs of mouse or rat activity cease for a period of 2 or more days. Inspect bait stations every 48 hours. If all bait has been eaten from certain areas, add additional bait stations. Protect bait stations from non-target animals. To prevent bait from spoiling, place bait stations away from sources of moisture or relocate them to a dry area if necessary.

**PRECAUTIONS****KEEP OUT OF REACH OF CHILDREN**

Keep away from children, pets, domestic animals and wildlife. It is advisable to wear protective gloves to dispose of any dead mice and rats or handle bait and/or bait stations that have been visited by mice and rats. Always wash hands after handling carcasses or bait and bait stations.

**DISPOSAL**

Do not reuse empty container. Discard in household garbage. Carton is recyclable where program or facilities exist.

**FIRST AID****FIRST AID**

Get medical attention immediately for any toxic reaction or irritation that persists or is severe.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION** Treat symptomatically.

#### **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.