[FRONT SHOULDER/SKIRT STICKER - ENGLISH]

Pump 'N Go^{TM} Now Up to 10 Minutes of Continuous Spray!

[FRONT PANEL - ENGLISH]

ROUNDUP® PUMP 'N GOTM READY-TO-USE SOLUTION

DOMESTIC
NON-SELECTIVE HERBICIDE
GRASS AND WEED CONTROL

RAIN-PROOF IN 2 HOURS! [Cloud graphic]
VISIBLE RESULTS IN 24 HOURS! [Clock graphic]
KILLS THE ROOTS! [Dead weed graphic]
WATER-BASED

NET CONTENTS: 5 L

ACTIVE INGREDIENT:

Contains 5-Chloro-2-methyl-4-isothiazolin-3-one at 0.0006% and 2-Methyl-4-isothiazolin-3-one at 0.0002% as preservatives.

OI

Contains 1,2-Benzisothiazolin-3-one at 0.0193% as a preservative.

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

Bayer CropScience Inc.
Suite 200, 160 Quarry Park Blvd. SE
Calgary, AB
T2C 3G3
1-866-476-7645

Made and printed in U.S.A.

ROUNDUP® PUMP 'N GOTM READY-TO-USE

The Fast and Easy Way to Kill Weeds!

	← Push →	↑ 25-30 times ↓			
Connect	Extend	Pump	Spray	Store	Depressurize Retighten to store
{ILLUS.]	{ILLUS.]	{ILLUS.]	{ILLUS.]	{ILLUS.]	{ILLUS.]

Please open booklet below for detailed instructions

[WAND - ENGLISH - OPTIONAL TEXT]

STORAGE POSITION

Push button and pull nozzle end.

Extend to spray position.

SPRAY POSITION

[HANDLE - ENGLISH - OPTIONAL TEXT]

[ARROW GRAPHIC]
RELEASE PRESSURE AFTER USE
Push handle to cap & turn.
RETIGHTEN



- Now up to 10 minutes of continuous spray!
- Extendable wand provides greater accuracy without bending over.

Roundup® Pump 'N GoTM Ready-to-Use is a non selective grass and weed killer which controls most annual and perennial grasses, including lawn grasses, broadleaf weeds and brush (i.e. virtually anything that is green and growing). A systemic herbicide, it is absorbed by the leaves and moves throughout stem and roots to control the entire plant. Visible symptoms of control, such as browning or yellowing of leaves, will occur within 1-2 days. For best results, to ensure that Roundup® Pump 'N GoTM Ready-to-Use gets down to the roots, avoid tillage or disturbing the treated area for 7-10 days (or as otherwise specified on the label). This will ensure that the entire plant, including the root, is eliminated. Rain or watering two hours after application will not wash away effectiveness.

NOTE: Roundup® Pump 'N Go^{TM} Ready-to-Use has no soil activity and will not leach or run off to affect nearby vegetation. Plants must be present to be controlled. Repeat applications will be required as new seedlings and vegetation emerge.

NOTE: AVOID SPRAY CONTACT ON DESIRABLE PLANTS AS ANY PLANT MAY BE KILLED BY CONTACT.

HOW TO ASSEMBLE AND USE ROUNDUP® PUMP 'N $\mathsf{GO^{TM}}$ READY-TO-USE:

[Sprayer assembly	1. CUT				
Graphics 1]	Carefully cut the two white zip ties securing the				
	hose and pump handle with scissors. Use caution				
	not to cut the white hose.				
[Sprayer assembly	2. CONNECT				
Graphics 2]	Unwind hose. Firmly push the connector at the end				
	of the hose onto the spout on the pump, until it locks into place.				
[Sprayer assembly	3. EXTEND WAND				
Graphics 3]	Lift sprayer wand off bottle. Push yellow button				
	while pulling out on the wand nozzle tip. Fully				
	extend wand until yellow button snaps into SPRAY				
	position. NOTE: White trigger will not function				
	until wand is fully extended and yellow button is				
	visible in the spray position.				
[Sprayer assembly	4. PUMP				
Graphics 4]	Make sure handle is screwed on tightly or the				
	bottle will not pressurize. Pump container 25-30				
	times to pressurize bottle. A full bottle requires				
	fewer pumps than an empty bottle. Pumping to the				
	higher range will provide longer spray duration.				
	After pumping, push pump down and turn handle				
	clockwise to lock into carrying position. NOTE:				
	This bottle is designed to expand under.				
[Sprayer assembly	5. SPRAY				
Graphics 5]	Aim wand. Spray by pushing down white trigger with				
Graphics 51	thumb. Adjust spray pattern by rotating white				
	nozzle tip up to one half rotation. Spray weeds				
	until thoroughly wet.				
[Sprayer assembly	6. STORE				
Graphics 6]	When finished spraying, push the yellow button and				
Oraphires 0]	retract the wand until the yellow button snaps back				
	into the original storage position. Place wand				
	back onto the top of the bottle in the integrated				
	holster with the nozzle tip extended through the				
	eyelet opening.				
[Sprayer assembly	7. DEPRESSURIZE				
Graphics 7]	Push pump handle all the way down and turn pump				
	handle and cap counter-clockwise to relieve				
	pressure, then retighten prior to storing.				

REUSE AND REFILL INSTRUCTIONS:

- 1. Refill **ONLY** with Roundup® Concentrate following the directions in #3 below. Do not use this container for other products.
- 2. For refilling, remove the entire pumping mechanism. Prepare Roundup® Concentrate carefully following refill instructions below:
- 3. Roundup® Concentrate PCP# 22627:
 - a) Measure 250 mL of Roundup® Concentrate into the empty container.
 - b) Add 5 litres of clean water to container.
 - c) Follow "Directions For Use" below.

DIRECTIONS FOR USE:

Glyphosate is not to be applied using hand-wicking or hand-daubing methods.

USE	APPLICATION INSTRUCTIONS	CONTROLS	COVERAGE
Undesirable vegetation control (i.e. hard to mow areas, around buildings). Lawn trimming/edging, patio weed control, vacant lots, storage & recreational areas, driveways.	Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For perennial weeds apply after seed heads, flowers or berries appear.	Most annual and perennial grasses and weeds, such as quackgrass, chickweed, ragweed, knotweed, poison ivy, Canada thistle,	Ensure uniform and complete spray coverage but not to the point of runoff.
Around Trees/Shrubs/ Ornamentals	Apply around base in a neat fashion. Avoid spray or drift contact with foliage, stems or green bark of desirable plants.	milkweed, bindweed.	
Lawn/Garden renovation	For best results on lawns, skip one mowing prior to treatment. Allow at least 3 days after treatment before disturbing the soil and/or replanting.		
Brush control	Apply after leaves are fully expanded. Treat trees and brush up to 1.5 m in height only; for taller plants cut down and spray regrowth.	Most brush such as Poplar, Alder, Maple and Raspberry	

CAUTION: Avoid spray contact on desirable plants as any plant contacted may be killed. Do not spray in windy conditions. Do not spray to the point of run-off. Rain or watering two hours after application will not wash away effectiveness. However, heavy rainfall immediately after application may wash the chemical off the foliage and repeat treatment may be required. Do not apply if rainfall is forecast for the time of application.

PRECAUTIONS:

CAUTION: EYE IRRITANT. HARMFUL IF SWALLOWED. Avoid contact with eyes or prolonged contact with skin. Do not allow others such as children and pets on treatment area during application or to reenter treated areas until spray has dried. Wash immediately after using this product. Do not contaminate water, foodstuffs, seed or feed by storage or disposal.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Push the yellow button and retract the wand until the yellow button snaps back into the original storage position. Place wand back onto the top of the bottle in the integrated holster with nozzle tip extended through the eyelet opening. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store. Store product in its original container in a secure area away from children and pets and away from direct sunlight. Keep from freezing

DISPOSAL:

Wrap and dispose partially used or empty container with household garbage. Do not reuse empty container except to refill in accordance with refill instructions.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

Roundup® is a registered trademark of Bayer Group. Used under license ©2023 Bayer Group. All rights reserved.

Pump 'N Go is a trademark of Bayer Group. Used under license @2023 Bayer Group.

This product is protected by U.S. Patent No. 8,056,774; 7,819,292.

Other patents pending. No license granted under any non-U.S. patent(s).

Not for reformulation or repackaging

Product Use Information: 1-866-476-7645

Web Site: www.roundupcanada.ca