

**SCHULTZ<sup>®</sup>**  
**FUNGUS GNAT INSECT SPRAY**

READY TO USE

Solution

CONTROLS FUNGUS GNATS

Controls Fungus Gnats, mites and other insects  
on house plants and in greenhouses.

*Use Indoors*

DOMESTIC

REG. NO. 29710 P.C.P. ACT

GUARANTEE:  
Resmethrin 0.25%  
Tetramethrin 0.25%

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

*250 mL - 1 L*

Sure-Gro IP Inc.,  
P.O. Box 21001,  
Brantford, ON N3R 7W9  
1-800-268-2806

SHAKE WELL BEFORE USE.  
KEEP FROM FREEZING.

**DIRECTIONS FOR USE:** Place plants in a well-ventilated area away from walls, drapes, furniture, etc. Hold container upright about 30 cm (12 in.) from plant. Spray leaves and stems thoroughly on all sides to the point of run-off. Schultz<sup>®</sup> Fungus Gnat Insect Spray will not cause leaf burn when applied to your plants. Avoid spraying open blooms and in direct sunlight.

For fungus gnats, garden springtails, symphilitids and other soil-related insects, spray surfaces of soil and pots on appearance and repeat as necessary. Try to contact the insects with the spray. For whiteflies, make 4 sprays at 5 day intervals. For mealybug, wash or pick away as much of the weblike mass as possible and spray thoroughly to wet insects and foliage.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Avoid breathing spray mist. Avoid contact with skin, eyes, feed and food. Remove pets, birds and cover or remove aquariums, food and food utensils before spraying. Store away from heat and direct sunlight.

**FIRST AID:** **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** Do not reuse empty container. Dispose of container in household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.**

SCHULTZ<sup>®</sup> is a trademark of United Industries Corp. / Lic. Sure-Gro

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.