Safer's® 3 in 1 Garden Spray

FUNGICIDE, INSECTICIDE & MITICIDE

Ready-to-Use

Made with soaps and elemental sulphur

Multi-purpose spray containing 3 garden solutions in one

Controls

POWDERY MILDEW, BLACK SPOT and RUST on listed hosts

Controls

APHIDS, MEALYBUGS, SPIDER MITES, WHITEFLIES AND OTHER LISTED

PESTS on listed hosts

Use this product only when a combination of disease and insect/mite problem is present.

GUARANTEE: Potassium salts of fatty acids...............0.75%

Contains 1,2-benzisothiazolin-3-one at 0.031% as a preservative.

Warning, contains the allergen, soy.

REG.NO. 27894 P.C.P ACT

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING DOMESTIC

CAUTION: SKIN IRRITANT

NET CONTENTS: 1 L

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton ON L6S 6G2

www.victorpest.com Tel: (800) 800-1819 Safer's® Garden Fungicide, Insecticide and Miticide Ready-to-Use Spray is used to control listed pests and for prevention and control of fungal diseases.

Its easy to use spray formulation can be used on listed hosts up to one day before harvest.

DIRECTIONS FOR USE:

DISEASES CONTROLLED:

Powdery mildew: Roses, chrysanthemums, dahlias, grapes, currants, strawberries, gooseberries and beans.

Rust: Roses, ornamentals, currants, gooseberries and beans.

Black spot: Roses

INSECTS CONTROLLED: Aphids, Earwigs, Mealybugs, Soft Brown Scale Crawlers,

Psyllids, Rose or Pear Slug (sawfly larvae) and Whiteflies.

MITES CONTROLLED: Spider mites.

HOSTS: Roses, Ornamentals, Beans, Strawberries, Grapes, Currants, Chrysanthemums, Dahlias and Gooseberries.

HOW TO USE: SHAKE WELL BEFORE USE. Apply in the morning or late evening. Use at the first sighting of the listed insect or mite infestation and the first sign of the listed disease. Thorough coverage of both top and bottom leaves and upper and lower leaf surfaces is important. Spray leaves to the point of run-off. Apply every 7-10 days when the listed insects or mites and the listed disease are present. Do not apply more than 8 applications per season. Do not apply during periods of dead calm or when winds are gusty.

Do not apply by air.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water is able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May irritate skin. Avoid contact with skin. Some plants are susceptible to injury from sulphur under certain climatic conditions. DO NOT USE on delicate ferns, apricots, filberts, stock, walnuts, nasturtium, sweet pea, violet, mountain ash, Japanese maple, horse chestnut, spinach, viburnum, newly planted cuttings or plants stressed by drought. Do not apply to plants in full sun or when temperatures exceed 28° C. Do not apply for 4 weeks following an application of an oil spray. Wear goggles or a face shield, chemical-resistant gloves, a hat, a long-sleeved shirt, long pants and rubber boots during mixing/loading, application, clean-up and repair activities. Do not enter or allow workers to enter into treated areas until 24 hours after application.

ENVIRONMENT HAZARD: This product is toxic to aquatic organisms. Do not allow waste water, effluent or runoff containing this product to enter lakes, streams, ponds or other waters.

DISPOSAL: Do not reuse empty container. Wrap container and dispose of in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.