ATLANTIC 12 BLEACH

Solution

REGISTRATION NO. 29182 PEST CONTROL PRODUCTS ACT

FOR INDUSTRIAL, INSTITUTIONAL, SWIMMING POOL USE AND FOOD PLANT USE

GUARANTEE: Available chlorine present as sodium hypochlorite.....10.3%

WARNING CORROSIVE



Net Contents:

READ LABEL BEFORE USING

DISTRIBUTED BY ATLANTIC CHEMICAL & AQUATICS INC.

380 BLUEWATER ROAD, BEDFORD, NS B4B 1J3 Tel. 1-(800) 565-7925



REMOVES STAINS AND DEODORIZES!

DIRECTIONS FOR USE:

Laundry: Dilute 40 to 50 mL of this product in 1 litre of water and pour in your wash water before adding laundry. Safe for nylon, orlon, terylene and for all fast colors. Do not use on wool, silk, unfast colors, leather or silverware.

Different uses: Removes stains, cleans and deodorizes toilet bowls, baths, garbage cans, patients' rooms, linoleum, woodwork, tiles, counter sinks, refrigerators, dish water: 15 mL of this product per 1 litre of water.

On the farm:

Normally 20 mL of this product in 10 litres of water yields a solution containing 200 ppm available chlorine. The use of this product at a concentration equal or greater than 200 ppm available chlorine on materials or surfaces which come into direct contact with food should be followed by a rinse with potable water.

SWIMMING POOLS:

1. Maintain recommended daily levels as determined by testing kit.

Free available chlorine: 1.0 – 3.0 ppm

pH: 7.2 – 7.8

Total Alkalinity: 100 – 120 ppm Calcium Hardness: 200 – 300 ppm

- 2. Initially superchlorinate pool water by adding to the pool 1 L of this product per 10,000 L of pool water. For best results superchlorinate at dusk.
- 3. Chlorinate daily to maintain proper chlorine residual with 250 mL of this product per 10,000 L of pool water, or as needed.

NOTE: Hot weather, heavy pool usage, and rain may require higher usage rates to maintain proper chlorine residuals.

- 4. Superchlorinate weekly with 1 L of this product per 10,000 L of pool water when average daily temperature is 25° C -32° C. Otherwise, superchlorinate every other week.
- 5. For visible algae superchlorinate using 2 L of this product per 10,000 L of pool water.

Heavy algae infestation may require dosages up to 3 L per 10,000 L. Vacuum pool when dead algae settles.

6. For wading pools, chlorinate daily to maintain a chlorine residual of 3 - 5 ppm by adding 45 mL of this product per 1,000 L of pool water, or as needed.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer (cyanuric acid).

For Food Processing Plants: NOTE: Do not re-enter treated area until 2 hours after spray or fogging application.

FISH PROCESSING PLANTS:

Use to treat influent processing water for microbial control. Product should be fed into incoming water source with appropriate metering equipment and monitoring controls so as to not exceed 3 ppm total chlorine.

POULTRY:

Poultry carcasses or parts may be dipped or sprayed with water containing up to 50 ppm total available chlorine. Carcass contact surfaces (e.g. automatic evisceration equipment, transfer belts, cut-up belts, etc.) may be sanitized with water containing up to 200 ppm total available chlorine provided the surfaces are well drained prior to contact with poultry carcasses or parts.

1. Carcass spray washers

Operators wishing to reduce the bacteria count on poultry carcasses should add 20 - 50 ppm total available chlorine to all their carcass washers, e.g. post scalding shower, post defeathering shower, post carcass transfer shower, final inside outside carcass shower.

2. Automatic poultry evisceration equipment

Spray cleaning carcass contact surfaces of automatic poultry evisceration equipment with water containing 20 - 200 ppm total available chlorine has been shown to effectively reduce bacteria counts on such surfaces which in turn should decrease cross contamination to subsequent carcasses.

3. Reprocessing

Reprocessed carcasses require a rinse with a sanitizing agent. Spray washing visibly clean carcasses with water containing 20 - 50 ppm total available chlorine

4. Water immersion chillers

Suggest 20 - 50 ppm should be added to the make-up water line such that a total available chlorine residual is maintained in the chiller overflow water. Chlorine has been shown to be effective in killing pathogenic bacteria washed off the poultry carcasses and thus reduce the cross contamination of other carcasses within the chill tanks.

BEEF CARCASSES:

Chlorine solutions may be applied where it is accepted practice to apply water to product such as before, after or during the final carcass rinse. Pre-evisceration rinse systems consisting of a potable water rinse and a second rinse with a chlorine solution are also permitted. The first rinse is applied as a low pressure water rinse to remove incidental foreign material. The second rinse, consisting of 20 ppm total available chlorine, may be applied as a mist, fog or small droplet rinse. The treatment must be followed by appropriate measures to ensure that any residues of the chlorine in question in or on the meat, resulting from the treatment are negligible. In practice this would involve a final rinse with potable water.

PRECAUTIONS:

• KEEP OUT OF REACH OF CHILDREN.

- Dangerous gas formed when mixed with acid.
- Do not mix with any other chemical.
- Do not re-enter treated area until two hours after spray or fogging application.
- Wear goggles or a face shield, chemical-resistant gloves, long pants, a long-sleeved shirt, shoes and socks when handling this product.
- Avoid contact with eyes and skin.
- Harmful if swallowed

• Keep container closed in upright position and store in a cool, dark place. Do not freeze.

• Rinse container thoroughly before discarding. Do not re-use.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements.

The requirements of applicable laws should be determined before using the product.

FIRST AID:

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING – Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED - Call a poison control centre or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

DISPOSAL:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for the clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Made in Canada