GREAT VALUE HOUSE & HOME INSECT KILLER

PRESSURIZED SPACE AND CONTACT SPRAY DOMESTIC

REGISTRATION NO. 28841 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS: D-Phenothrin 0.20%

Tetramethrin 0.20%

CAUTION



EXPLOSIVE

NET CONTENTS: 150-600g

Wal-Mart Canada Inc. 1940 Argentia Rd. Mississauga, Ontario L5N 1P9 1-866-888-9617

GREAT VALUE® - Registered trademark of Wal-Mart Canada Inc.

DIRECTIONS FOR USE: Shake well before using - Hold can upright while spraying. Do not use tetramethrin in food handling, storage or preparation areas while food is present.

FOR INDOOR USE:

FLYING INSECTS: Flies, gnats, mosquitoes, hornets, wasps, whiteflies (indoor plants only), and small flying moths. Close all doors and windows and direct spray upward into centre of room with slow sweeping motion. Spray 5 to 10 seconds for average room. Direct mist into areas where insects are present. Remove animals for a minimum of 1 hour when spraying room. Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. Spray around light fixtures.

TOXIC to bees. Do not spray bees. This product is intended for use on yellow jackets, hornets and wasps only.

CRAWLING INSECTS: Ants, Carpet Beetles, Centipedes, Caterpillars, Cockroaches, Crickets, Fleas, Silverfish, Earwigs, Mealybugs, and Spiders. Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry.

DO NOT apply as a broadcast application. Indoors, only spot or crack and crevice applications are permitted. A spot treatment is made to a localized surface area not greater than (< 2 ft2/0.2 m2). Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (e.g. floors, walls, ceilings. A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (e.g. baseboards, mouldings) Application to upholstered furniture must be limited to tufts and seams or spot treatment.

FLEAS: Spray animal sleeping quarters and floors around area, but not furniture or carpets that people regularly contact. Remove old bedding and replace with clean bedding after treatment. DO NOT SPRAY PETS.

For other insects listed above spray around doorframes and window frames both indoors and outdoors. Outdoors an exterior perimeter/band application is made as a band or strip less than 1 metre wide.

HOUSEPLANT PESTS: Kills Ants, Aphids, Caterpillars, Leafhoppers, Spiders, Whiteflies, Mealybugs, and Spider Mites on houseplants such as Ivy, African violets, Impatiens, Geraniums and Begonias. Hold container 45 to 60 cm from plants being sprayed. Cover upper and lower surfaces of leaves. Avoid wetting foliage with spray. Use short bursts of 1 second for spot application on new growth. Use caution on young plants and new growth.

Not for use in greenhouses, vegetable gardens or on food-bearing plants.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. DO NOT SPRAY

PETS OR OTHER ANIMALS WITH THIS PRODUCT. Avoid contamination of foodstuffs. Do not use in commercial food processing or preparation areas. In the home, all processing surfaces and utensils should be covered during treatment, or thoroughly washed and rinsed before use. Remove or cover exposed food. Remove animals for a minimum of 1 hour when spraying room .Cover fish aquariums before spraying. Following treatment, ventilate all rooms, do not access for at least 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on Maidenhair Ferns. Do not use on vegetable crops.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not use empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.