

2011-4064  
2012-01-23

BOTTLE

**Wilson<sup>®</sup>  
Sevin<sup>®</sup>  
GrubOut<sup>®</sup>  
Ant and Grub Killer  
CONCENTRATE**

*For control of grubs, ants,  
chinch bugs, sod webworms,  
earwigs and many other  
lawn insects*

DOMESTIC

REG. NO. 26698 P.C.P. ACT

GUARANTEE: Carbaryl (SEVIN<sup>®</sup>) 22.5%  
Contains 1,2-benzisothiazolin-3-one at 0.02% as a preservative.

CAUTION



POISON

READ THE LABEL AND CARTON BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

250 mL (500 mL)

Sure-Gro IP Inc.  
P.O. Box 21001,  
Brantford, ON N3R 7W9  
1-800-268-2806

**REFER TO AND RETAIN CARTON FOR “DIRECTIONS FOR USE”.**

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. AVOID CONTAMINATION OF FOOD, FEED WATER SUPPLIES, STREAMS AND PONDS. **BEE CAUTION:** MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms. **PLANT RESPONSE AND PRECAUTIONS:** To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

**FIRST AID: If contact with eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl Insecticide is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do NOT use 2-P AM, opiates, or cholinesterase inhibiting drugs.

**STORAGE AND DISPOSAL:** Store unused Wilson® SEVIN® GrubOut® Ant and Grub Killer Concentrate in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperature frequently exceeds 38° C. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty containers in newspaper and dispose of with household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.**

**[www.wilsonproducts.ca](http://www.wilsonproducts.ca)**

Wilson® and GrubOut® Registered Trademarks of Spectrum Brands Canada Inc., used under license. SEVIN® is a registered trademark of The Bayer Group.

**CARTON:**

*USE FOR 500mL:* For grubs, covers 119 m<sup>2</sup> (1280 ft<sup>2</sup>)  
*USE FOR 250mL:* For grubs, covers 59 m<sup>2</sup> (640 ft<sup>2</sup>)

**Wilson<sup>®</sup> Sevin<sup>®</sup>  
GrubOut<sup>®</sup>  
Ant and Grub Killer  
CONCENTRATE**

For control of grubs, ants,  
chinch bugs, sod webworms,  
earwigs and many other  
lawn insects.

DOMESTIC

REG. NO. 26698 P.C.P. ACT

GUARANTEE: Carbaryl (SEVIN<sup>®</sup>) 22.5%  
Contains 1,2-benzisothiazolin-3-one at 0.02% as a preservative.

CAUTION



POISON

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

250 mL (500 mL)

Sure-Gro IP Inc.  
P.O. Box 21001,  
Brantford, ON N3R 7W9  
1-800-268-2806

**DIRECTIONS FOR USE: SHAKE WELL BEFORE USE. PROTECT FROM FREEZING.** Apply Wilson Sevin GRUBOUT™ Ant and Grub Killer Concentrate when insects or their damage appear. Mix only as much spray solution as required on day of mixing. Agitate mixture before and during use.

5 mL = 1 teaspoonful

15 mL = 1 tablespoonful

**For control of White Grubs (European Chafer and suppression of Japanese Beetle):** Apply 42 to 58 mL of Wilson Sevin GRUBOUT™ Ant and Grub Killer Concentrate in 15-20 litres of water per 10 m<sup>2</sup> of established lawn. Remove excessive thatch and water before treatment if soil is dry. Repeat as necessary. To optimize control of European Chafer and Japanese Beetle apply Wilson Sevin GRUBOUT™ Ant and Grub Killer Concentrate in late July / early August.

**For control of Ants, Chinch Bugs, Climbing Cutworms, Earwigs, Fall Armyworm, Fleas, Leafhoppers, Millipedes, Mosquitoes and Sod Webworms:** Apply 37.5 to 52 mL of Wilson Sevin GRUBOUT™ Ant and Grub Killer Concentrate in 15-20 litres of water per 10 m<sup>2</sup> of established lawn, recreational area, roadway or path borders. For best results mow lawn and apply after watering or rain. Ensure good penetration of turf. Hose-end or pressure applications may be used. Repeat 2 to 3 weeks later if necessary.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

AVOID CONTAMINATION OF FOOD, FEED WATER SUPPLIES, STREAMS AND PONDS.

**BEE CAUTION:** MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms.

**PLANT RESPONSE AND PRECAUTIONS:** To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

**FIRST AID: If contact with eyes,** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If swallowed,** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl Insecticide is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do NOT use 2-PAM, opiates, or cholinesterase inhibiting drugs.

**STORAGE AND DISPOSAL:** Store unused Wilson<sup>®</sup> Sevin<sup>®</sup> GrubOut<sup>®</sup> Ant and Grub Killer Concentrate in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperature frequently exceeds 38° C. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty containers in newspaper and dispose of with household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.  
[www.wilsonproducts.ca](http://www.wilsonproducts.ca)**

Wilson<sup>®</sup> and GrubOut<sup>®</sup> Registered Trademarks of Spectrum Brands Canada Inc., used under license.  
SEVIN<sup>®</sup> is a registered trademark of The Bayer Group.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.