# NEU1173H Ready-to-Spray LARGE SIZE Solution

## DOMESTIC CONCENTRATE SELECTIVE HERBICIDE

ACTIVE INGREDIENT: Iron (present as FeHEDTA) 4.43%

REG. NO.: 29536 P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN POTENTIAL SKIN SENSITIZER

NET CONTENTS: 1.5 - 5 Litre

W. Neudorff GmbH KG An der Muhle 3, 31860 Emmerthal, Germany

Canadian Agent:
Neudorff North America
PO Box 178
Brentwood Bay, BC V8M 1R3
250-652-5888

For use on lawn turf consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewings fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

#### PESTS/SITES:

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle, Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Broad-leaved plantain (suppression only), Dove's-foot geranium, Wild geranium, Lawn burweed, Moss, and Algae.

#### **APPLICATOR DIRECTIONS:**

ATTACH HOSE [optional diagrams]	OPEN SYSTEM [optional diagrams]	TURN ON AND SPRAY [optional diagrams]
<ul> <li>Ensure that the large Water Control Knob is turned to the "OFF" position.</li> <li>Connect sprayer to garden hose.</li> </ul>	Turn the small Product Control Button so that the flat side aligns with the tab on the right side of the button, and push the button all the way in.  Turn on water at faucet.	<ul> <li>To spray, point nozzle where you want to spray and turn the large knob all the way to the left. Product will be automatically diluted to the proper concentration. Spray evenly over measured area at a rate of 100-400 ml/m². The standard rate for NEU1173H RTS LARGE SIZE is 200 ml spray/m²; use the higher rate (400 ml spray/m²) on the following tough perennial weeds: broad-leaved plantain, (suppression only), creeping buttercup, and Canada thistle. For Canada thistle, best results are obtained when weeds are less than 15 cm tall and two applictions may be required for control. NEU1173H RTS LARGE SIZE may also be used at 100 ml spray/m² on moss, black medic, slender speedwell, wild geranium or on weed seedlings of false dandelion, English daisy, dandelion or white clover. A second application at this rate may be required to achieve control of these weeds.</li> <li>To stop spraying, push small Product Control Button in from opposite side. Turn large Water Control Knob to the right to the "OFF" position and turn off faucet.</li> <li>NOTE: BEFORE DISCONNECTING HOSE (to relieve water pressure): Turn large WaterControl Knob to the left; then turn "OFF" again.</li> <li>Disconnect garden hose from sprayer.</li> <li>To prevent accidental discharge when not in use, turn the small Product Control Button so that itis NOT aligned with the tab and cannot be pushed in.</li> </ul>

## **DIRECTIONS FOR USE:**

**SHAKE WELL BEFORE USING**. One litre of product will treat between 62.5 and 250 m<sup>2</sup> (672.5 and 2700 ft<sup>2</sup>). Thorough and uniform coverage is important. Water lawn 24 hours after each application. Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per year. For spot treatment, spray weeds until foliage is thoroughly wetted, just to the point of runoff.

Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

**Use Precautions:** Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times per area per year. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

### PRECAUTIONS:

CAUTION: KEEP OUT OF REACH OF CHILDREN. Causes slight eye irritation. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Wear waterproof gloves during application or during mixing, loading, and repair/clean-up activities. DO NOT get in eyes. Avoid breathing vapour or spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### FIRST AID:

If swallowed:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION:**

Treat symptomatically.

#### STORAGE:

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

#### **DISPOSAL:**

Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

## **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.



## SELECTIVE BROADLEAF HERBICIDE

People and pets can enter treated area when spray dries. No unpleasant odor.

Made with iron.

Rainfast in 3 hours

See result within hours

KILLS WEEDS, NOT LAWNS

(1 Litre) Will treat up to 250 m² (2700 sq. ft)