

20-JUL-2010
2008-3786

balEnce ES

LIVE ORGANISM

Commercial

Biological insecticide for controlling house flies in poultry production houses

GUARANTEE:

Beauveria bassiana strain HF23 (5.6×10^9 viable spores/mL).....1.18%

REGISTRATION NO. 28890
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

POTENTIAL SENSITIZER

WARNING: This product contains the allergen soybean oil (88.71%)

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 444 mL

DATE OF MANUFACTURE:

Manufactured by:
JABB of the Carolinas, Inc.
P.O. Box 310
456 East Main Street
Pine Level, NC 27568-0310 USA

Product Inquiries: 919-789-0306

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

May cause sensitization. Avoid contact with eyes, skin or clothing. Avoid inhaling/breathing mists. When handling, and during all clean-up and repair activities, wear goggles/face shield/safety glasses, water-proof gloves, a NIOSH approved respirator with any N-95, R-95, P-95 or HE filter for biological products, shoes plus socks, and coveralls (or a combination of a long-sleeved shirt, and long pants). Remove contaminated clothing and wash before reuse. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). Keep and wash PPE separately from other laundry. Wash skin thoroughly with soap and water after handling.

USER SAFETY RECOMMENDATIONS:

User should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID:

If swallowed: Rinse mouth and throat with copious amounts of water. Do not induce vomiting.

If on skin or clothing: Take off contaminated clothing. Wash with plenty of soap and water.

If inhaled: Move to fresh air.

If in eyes: Hold eye open and rinse slowly and gently with water. Remove contact lenses, if present, then continue rinsing eye.

General: Seek medical attention immediately if irritation or signs of toxicity occur and persist or is severe. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS:

This product is potentially pathogenic to honey bees. When used as directed in poultry production houses, the risk of exposure for bees is reduced.

DO NOT apply directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoirs and wetlands), estuaries or marine habitats.

DO NOT allow effluent or runoff from poultry production houses containing this product to enter lakes, streams, ponds or other waters.

DIRECTIONS FOR USE:

For controlling flies in poultry houses.

Each bottle contains 444 mL of product which treats approximately 2800 to 4650 m² of floor area (30 000 to 50 000 square feet). Apply at a rate of 9.5 to 16 mL product per 100 m². It should be applied with conventional equipment of the user's choice, but there must not be any filter or screen smaller than 50 microns which would prevent the active ingredient from passing. Be sure to agitate the contents of the bottle by shaking vigorously to re-suspend any sediment which may have formed in the bottom. The contents of the bottle should be added

to sufficient water in the mix tank to ensure even coverage over the treated area. A small amount of water should then be added to the emptied bottle, the cap replaced and the bottle shaken again. Add this “rinse” water to the mix tank.

Apply the spray to walls, floor, posts and manure concentrating areas where the greatest numbers of pests are located. This is a contact infection material with greatest efficacy against adult flies. Re-treat at intervals of 2 to 7 days as long as pest pressure persists as pest eggs hatch and mature. There is no restriction on the total maximum amount of balEnce ES which may be applied in a year.

STORAGE: Store in a cool, dry place at a room temperature not exceeding 27°C. Do not store for longer than 14 months from the date of manufacture.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.