

2019-4943  
2019-10-10

**NEU1173H LARGE SIZE**  
Solution

DOMESTIC  
CONCENTRATE  
SELECTIVE HERBICIDE

ACTIVE INGREDIENT: Iron (present as FeHEDTA) 4.43%

REG. NO.: 29538 P.C.P. ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN  
POTENTIAL SKIN SENSITIZER

NET CONTENTS: 1.5 - 4 L

W. Neudorff GmbH KG  
An der Muhle 3,  
31860 Emmerthal, Germany

Canadian Agent:  
Neudorff North America  
PO Box 178  
Brentwood Bay, BC V8M 1R3  
250-652-5888

2019-4943  
2019-10-10

For use on lawn turf consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewings fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

**PESTS/SITES:**

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle, Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Broad-leaved plantain (suppression only), Dove's-foot geranium, Lawn burweed, Moss, and Algae.

**DIRECTIONS FOR USE:**

**SHAKE WELL BEFORE USING.** Mix one part NEU1173H Large Size with 24 parts water ( 40 mL with 960 ml of water). Apply the mixed solution at a rate of 200-400 ml/m<sup>2</sup>. Use the lower rate (200 ml spray/m<sup>2</sup>) on small weeds; use the higher rate (400 ml/m<sup>2</sup>) on large weeds and on tough perennial weeds, such as clover. Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment once in four or more weeks after the first treatment if necessary. For spot treatment, spray weeds until foliage is thoroughly wetted, just to the point of runoff.

Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

**Use Precautions:** Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Apply to established turf only. Do not apply to newly seeded areas or to turf generated from seed and that is less than one year old. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply more than 2 times per year. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

**PRECAUTIONS:**

**CAUTION: KEEP OUT OF REACH OF CHILDREN.** Causes slight eye irritation. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Wear waterproof gloves during application or during mixing, loading, and repair/clean-up activities. DO NOT get in eyes. Avoid breathing vapour or spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**FIRST AID:**

If swallowed:

2019-4943  
2019-10-10

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### **TOXICOLOGICAL INFORMATION:**

Treat symptomatically.

#### **STORAGE:**

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

#### **DISPOSAL:**

Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

#### **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.



#### **SELECTIVE BROADLEAF HERBICIDE**

People and pets can enter treated area when spray dries.

No unpleasant odor.

Made with iron.

Kills Weeds, not lawns

Rainfast in 3 hours

See result within hours

People and pets can enter treated areas when spray dries