

ALIETTE® ORNAMENTAL FUNGICIDE

GROUP U FUNGICIDE

SYSTEMIC FUNGICIDE FOR USE ON GREENHOUSE ORNAMENTALS AND BEDDING PLANTS

AGRICULTURAL

GUARANTEE: Fosetyl AL.... 80%

REGISTRATION NUMBER: 28585 PEST CONTROL PRODUCTS ACT



WARNING: EYE IRRITANT READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

NET CONTENTS: 2.26 Kg

Bayer CropScience Inc.* Suite 100 –3131 114th Street

Calgary, AB T2Z 3X2

Telephone: 1 888 283- 6847

*Bayer Environmental Science A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer ⊕ and ALIETTE® are registered trademarks of the Bayer Group.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls (with hood) over normal clothes and hat during mixing/loading, application, cleanup and repair activities. Do not re-enter treated area until residues have dried. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca.

FIRST AID: Remove person from contaminated area, remove contaminated clothing. Keep warm, comfortable, at rest. Eye contact: Irritating to the eyes. Flush eyes with plenty of clean water for 15 minutes. Get medical attention or contact a poison control centre IMMEDIATELY. Skin contact: Wash affected area with plenty of soap and water. If ill, seek medical attention or contact a poison control centre IMMEDIATELY. Inhalation: Remove person to fresh air. If ill, seek medical attention or contact a poison control centre IMMEDIATELY. If breathing stops, begin artificial respiration. Ingestion: If person is conscious, wash out mouth. Get medical attention immediately or contact a poison control centre IMMEDIATELY. If a large amount has been swallowed and person is conscious, give water and induce vomiting. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE: Store ALIETTE® ORNAMENTAL FUNGICIDE in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original bag. Fold bag over and staple securely. ALIETTE® ORNAMENTAL FUNGICIDE left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

DISPOSAL:

- 1. Empty bag thoroughly.
- 2. Follow provincial instructions for any required additional cleaning of the bag prior to its disposal.
- 3. Make the empty bag unsuitable for further use.
- 4. Dispose of the bag in accordance with provincial requirements.
- 5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.



ALIETTE® ORNAMENTAL FUNGICIDE

GROUP U FUNGICIDE

SYSTEMIC FUNGICIDE FOR USE ON GREENHOUSE ORNAMENTALS AND BEDDING PLANTS

AGRICULTURAL

GUARANTEE: Fosetyl AL.... 80%

REGISTRATION NUMBER: 28585 PEST CONTROL PRODUCTS ACT



WARNING: EYE IRRITANT READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

NET CONTENTS: 2.26 Kg

Bayer CropScience Inc.*

Suite 100 –3131 114th Street Calgary, AB T2Z 3X2 Telephone: 1 888 283- 6847

*Bayer Environmental Science A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer and ALIETTE® are registered trademarks of Bayer Group.

GENERAL INFORMATION:

ALIETTE[®] **Ornamental Fungicide** can be used to control Phytophthora and Pythium. **ALIETTE**[®] **Ornamental Fungicide** is completely systemic. Product applied to leaves will move downwards to the roots. **ALIETTE**[®] **Ornamental Fungicide** is most effective when used as a preventative treatment. Plants displaying early disease symptoms, or when condition for disease is favorable, are most likely to benefit from this treatment.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls (with hood) over normal clothes and hat during mixing/loading, application, cleanup and repair activities. Do not re-enter treated area until residues have dried. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca.

FIRST AID:

Remove person from contaminated area, remove contaminated clothing. Keep warm, comfortable, at rest.

Eye contact: Irritating to the eyes. Flush eyes with plenty of clean water for 15 minutes. Get medical attention or contact a poison control centre **IMMEDIATELY**.

Skin contact: Wash affected area with plenty of soap and water. If ill, seek medical attention or contact a poison control centre **IMMEDIATELY**.

Inhalation: Remove person to fresh air. If ill, seek medical attention or contact a poison control centre **IMMEDIATELY**. If breathing stops, begin artificial respiration.

Ingestion: If person is conscious, wash out mouth. Get medical attention immediately or contact a poison control centre **IMMEDIATELY**. If a large amount has been swallowed and person is conscious, give water and induce vomiting. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE:

Store **ALIETTE**[®] **Ornamental Fungicide** in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original bag. Fold bag over and staple securely. **ALIETTE**[®] **Ornamental Fungicide** left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

DISPOSAL:

- 1. Empty bag thoroughly.
- 2. Follow provincial instructions for any required additional cleaning of the bag prior to its disposal.
- 3. Make the empty bag unsuitable for further use.
- 4. Dispose of the bag in accordance with provincial requirements.
- 5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that **ALIETTE**[®] **Ornamental Fungicide** contains a Group U fungicide. Any fungal population may contain individuals naturally resistant to **ALIETTE**[®] **Ornamental Fungicide** and other Group U fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance:

- Where possible, rotate the use of **ALIETTE**® **Ornamental Fungicide** or other U fungicides with different groups that control the same pathogens.
- Use tank mixtures with fungicide from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact Bayer CropScience representatives at 1-800-334-7577 or at www.bayercropscience.ca.

DIRECTIONS FOR USE

GREENHOUSE ORNAMENTALS - CONTROL OF PYTHIUM AND

PHYTOPHTHORA (Chinese evergreen (*Aglaonema*), *pothos*, *shefflera*, *spathiphilium*, *azalea*)

Foliar Applications:

Apply a maximum of 3 applications. Apply at 14-30 day intervals.

Application Rate: Apply at a rate of 2.8 kg product/ha.

DO NOT APPLY BY AIR.

BEDDING PLANTS - CONTROL OF PYTHIUM AND PHYTOPHTHORA

(Begonia, Geranium, Vinca, Celosia, Petunia, Slavia and Impatiens)

Foliar Applications:

Apply a maximum of 3 applications at 14 day intervals.

Application Rate: Apply at a rate of 2.8 kg product/ha.

DO NOT APPLY BY AIR.

Drench Applications:

Apply a maximum of 3 applications, one application every 30 days. Apply before disease onset.

Application Rate: Use 360 g product/380 L water to cover 36m²

DO NOT APPLY BY AIR.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.