

2021-5319
2021-11-01

M275
Industrial Microbiocide
Wettable Granules

FOR USE IN INDUSTRIAL PROCESSES ONLY
NOT FOR DOMESTIC USE.

READ LABEL BEFORE USING

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one.....5.25%
2-Methyl-4-isothiazolin-3-one.....1.75%

DANGER



POISON



CORROSIVE

POTENTIAL SKIN SENSITIZER

BAKER HUGHES CANADA COMPANY
GULF CANADA SQUARE, 1100 – 401 9th AVE. SW
CALGARY, AB T2P 3C5
877-285-9910

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

REGISTRATION NO. 29794
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 2.72 Kg

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DANGER: Corrosive. Harmful or fatal if swallowed. Potential skin sensitizer. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapors and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse.

2021-5319
2021-11-01

Wear long pants, a long sleeved shirt, chemical resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up, and repair.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Treat symptomatically.

DISPOSAL

1. Triple or pressure-rinse the emptied container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE

Do not use, pour, spill, or store near heat or open flame.

2021-5319
2021-11-01

DIRECTIONS FOR USE

The following is a summary of dosage and feeding recommendations for each use of M275 Industrial Microbiocide.

OILFIELD WATERS: M275 Industrial Microbiocide is used for the control of slime forming bacteria and sulfate reducing bacteria in oilfield waters.

Treatment: Slug treat with 15-75 mg/L M275 Industrial Microbiocide depending on the severity of contamination. M275 Industrial Microbiocide can be used in stagnant areas such as storage tanks, sumps and pits. Add 35-75 mg/L M275 Industrial Microbiocide (35-75 g M275 Industrial Microbiocide per 1,000 liters of water) at a point in the system where it will be uniformly mixed. Repeat treatment after three days or as needed until control is achieved.

DRILLING MUDS AND WORKOVER OR COMPLETION FLUIDS:

M275 Industrial Microbiocide is effective in controlling fungi in water based drilling muds.

Treatment: M275 Industrial Microbiocide should be added at 25-500 mg/L through the mud hopper or at the pump suction. A typical 50 mg/L treatment is 50 g per 1,000 liters into the drilling mud recirculating system.

WELL STIMULATION AND FRACTURING: M275 Industrial Microbiocide is effective in controlling fungi and bacteria in guar gum based fracturing fluid systems.

Treatment: M275 Industrial Microbiocide should be added to the storage tanks at 25-500 mg/L and circulated. For example, a 50 mg/L treatment is 50 g per 1,000 liters fracturing tank.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

REV 09/21