

2022-0975  
2022-03-04

**ProCitra-DL Crawling Insect Killer**

**PRESSURIZED PRODUCT**  
**Contains d-Limonene, a botanical insecticide**

**KILLS ON CONTACT:**

Asian Lady Beetles, BedBugs, Centipedes, Cluster Flies, Cockroaches, Crickets, Fleas, Flour Beetles, Millipedes, Spiders, and Ticks

**GUARANTEE:**

d-Limonene ..... 10.0%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**EXTREMELY FLAMMABLE EXPLOSIVE**

**WARNING – SKIN IRRITANT**  
**POTENTIAL SKIN SENSITIZER**

**READ THE LABEL BEFORE USING**

**DOMESTIC**

**REGISTRATION NUMBER: 29811      PEST CONTROL PRODUCTS ACT**

**NET CONTENTS: 0.496 g - 0.567 g**

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY**  
**INVOLVING THIS PRODUCT, CALL DAY OR NIGHT**  
**1-800-454-2673**

BASF Canada Inc.  
5025 Creekbank Road  
Building A, 2<sup>nd</sup> Floor  
Mississauga, Ontario L4W 0B6

1-877-371-2273

2022-0975  
2022-03-04

## **PRECAUTIONS – KEEP OUT OF REACH OF CHILDREN**

Contains petroleum distillate. Harmful if on skin. DO NOT get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**Potential skin sensitizer:** Causes skin and mucous membrane irritation. Avoid breathing vapours or spray mists. Do not apply in the immediate vicinity of people or pets. Apply only in well-ventilated areas. For spot treatment, apply close to the surface and do not spray in the air. Do not enter or allow re-entry of people/children/pets to treated areas until surfaces are dry and the areas are thoroughly ventilated."

## **FIRST AID**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or the product name and pest control product registration number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION**

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

## **PHYSICAL OR CHEMICAL HAZARDS**

**Flammable.** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 55°C may cause bursting.

## **GENERAL USE RESTRICTIONS**

- Do not remain in freshly treated area and ventilate the area thoroughly after treatment is completed.
- Do not contaminate water, food, or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

2022-0975  
2022-03-04

- Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.
- Do not spray on plastic (including but not limited to vinyl), painted, or varnished surfaces.
- Product should only be used when can temperature is above 16°C. If can temperature is below 16°C, store at room temperature until a temperature above 16°C is reached.
- Although ProCitra-DL Crawling Insect Killer is not expected to damage most substrates, it is recommended that a small, inconspicuous area be tested prior to treating an entire area in case of adverse effects.

ProCitra-DL Crawling Insect Killer works best on contact. Contact as many insects as possible when making a Crack and Crevice or spot application.

**CRACK & CREVICE® TREATMENT:** Use ProCitra-DL Crawling Insect Killer only with the supplied actuators and injection tubes. Inject ProCitra-DL Crawling Insect Killer into cracks and crevices or void spaces where insects may be living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one second of product. For light infestations, move injector tip along cracks while treating at the rate of 1m/sec. For heavy infestations, move injector tip along at 1/3m/sec. For closed voids, calculate the void's cubic area and treat at the rate of 1 - 5 sec/m<sup>3</sup>. Several holes may be required in long-running voids. Reapply as needed.

**DIRECTED CONTACT TREATMENT:** Spot treatment applications may only be made outdoors, in garages, attics or unfinished basement areas. Use ProCitra-DL Crawling Insect Killer only with the supplied actuators and injection tubes or BASF System Equipment System III. Hold container upright while spraying. Direct nozzle approximately 30 cm from surface to be treated. Apply directly on insects in these locations when possible. Reapply as needed.

## **INDOOR AND OUTDOOR TREATMENTS**

**FOR USE IN AND AROUND:** Apartments and Homes  
Exposed food in the treatment area must be covered or removed.

**CENTIPEDES, COCKROACHES, CRICKETS, MILLIPEDES, AND SPIDERS:** Apply as a Crack & Crevice treatment using the prescribed dosage into cracks, crevices and void spaces where insects may be harboring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewers, floor drains and meter boxes. Reapply as needed.

**TICKS:** Apply as a Crack & Crevice treatment into infested and egg laying sites near pet resting areas including, but not limited to, cracks and crevices of baseboards and around door and window frames.

**FLEAS:** Hold container tilted down away from your face and, with a sweeping side-to-side motion, kill adult fleas hidden in dog and cat bedding and under furniture. Before spraying, test an inconspicuous corner of fabric for staining. Reapply as needed.

2022-0975  
2022-03-04

**BED BUGS:** Apply to cracks and crevices where evidence of bed bugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets, carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on mattresses, pillows, bed linens or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Allow all treated areas to dry thoroughly before use. Not recommended for use as sole protection against bed bugs. If evidence of bed bugs is found in/on mattresses, use a product approved for this use.

**ASIAN LADY BEETLES, CLUSTER FLIES AND FLOUR BEETLES:** Apply as a Crack & Crevice treatment into cracks, crevices and/or voids where these insects may be harboring or hibernating. Infested areas may include, but are not limited to, cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Reapply as needed.

**NON-FOOD AREAS:** Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling). Apply as a Crack & Crevice Treatment to selective surfaces such as baseboards, under elements of construction, into cracks and crevices. Refer to INDOOR TREATMENTS section for directions for treatment of specific pests. Reapply as needed.

**FOR ACTIVE AND HIBERNATING STAGES OF ASIAN LADY BEETLES AND CLUSTER FLIES:** Apply as a Crack & Crevice treatment into cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas may include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and door frames. Reapply as needed.

## **STORAGE**

To prevent contamination, store this product away from food or feed.

## **DISPOSAL**

When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage.

## **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

CRACK & CREVICE® is a registered trademark of BASF Corporation, used with permission by BASF Canada Inc.