

2023-3244  
2024-04-09

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing [hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

2023-3244  
2024-04-09

## **K-G Flying Insect Killer Metered II (0.975% PYR-Commercial)**

Metered Pressurized Insecticide Spray

Metered pressurized product for indoor use at meat packing and food processing plants (not in operation), food service and preparation areas, bottling plants, warehouses, restaurants, lodges, resorts, stores, supermarkets, hotels, motels, hospitals, nursing homes, mud rooms, garages, basements, enclosed porches and patios, utility rooms, storage sheds, workshops, funeral homes, farm buildings, barns, stables, dairies, poultry houses to control flies and mosquitoes. **DO NOT** use in dwellings (e.g. houses, apartments) or in rooms attached to dwellings (e.g. garage basement), schools, daycare centers, hospital wards, guest rooms of hotels, motels and resorts, or any area where children may spend more than 4 hours in a day.

COMMERCIAL

WARNING



FLAMMABLE EXPLOSIVE

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Pyrethrins	0.975%
Piperonyl Butoxide	1.950%
N-Octyl Bicycloheptene Dicarboximide	3.210%

(Contains an insecticide derived from the Chrysanthemum Flower)

REGISTRATION NO. 28792

NET CONTENTS: 75-700 g

PLZ CORP.

8001 Keele Street

Vaughan Concord, Ontario

L4K 1Y8

905 669-9855

### **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

### **FIRST AID:**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION:**

This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

### **PRECAUTIONS:**

- KEEP OUT OF REACH OF CHILDREN.
- Contents under pressure. Container may explode if heated. **DO NOT** expose to temperatures above 50° C. **DO NOT** spray near open flames or sparks. **DO NOT** puncture or incinerate.
- Wear a long-sleeved shirt, long pants, chemical-resistant gloves, shoes and socks during application, clean-up and repair.
- Avoid contact with skin, eyes and clothing. Avoid inhaling spray mist.
- **DO NOT** install directly over polished, plastic or varnished surfaces.
- **DO NOT** use in dwellings (for example houses, apartments) or in rooms attached to dwellings (for example garage, basement), schools, daycare centers, hospital wards, guest rooms of hotels, motels, and resorts, or any area where children may spend more than 4 hours in a day.

### **DIRECTIONS FOR USE:**

K-G Flying Insect Killer Metered II is designed for use in Cam Spring Action (CSA) Type Automatic Dispenser. The automatic dispenser releases a metered dose of 27.4 mg of insecticide every 7.5 minutes or 54.9 mg of insecticide every 15 minutes or 109.7 mg of insecticide every 30 minutes or 164.6 mg of insecticide every 45 minutes. The continuous use of this insecticide will reduce fly and mosquito populations within a few hours. One can contains enough product

2023-3244  
2024-04-09

to protect an area with up to 170 m<sup>3</sup> (6,000 cubic feet) of free flow air space for about 30 days. Factors such as airflow rate, size of space treated, humidity and room temperature affect insect activity and control. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. It is recommended that the container be replaced as required if the pest problem still occurs.

### **Location of Use**

K-G Flying Insect Killer Metered II may be used in the following structures to control flies and mosquitoes: meat packing and food processing plants (not in operation), food service and preparation areas, bottling plants, warehouses, restaurants, lodges, resorts, stores, supermarkets, hotels, motels, hospitals, nursing homes, mud rooms, garages, basements, enclosed porches and patios, utility rooms, storage sheds, workshops, funeral homes, farm buildings, barns, stables, dairies, poultry houses. Location of use must have at least 170 cubic metres of free flow air space.

### **FOR INDOOR USE AT LISTED STRUCTURES**

#### **Use Limitations**

- **DO NOT** apply when a food/feed processing facility is in operation.
- Cover or remove all food/feed (including bulk tanks that contain milk). Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed (including milk) accidentally contaminated with spray solution must be discarded

#### **How to Apply**

This product is designed for use only as a space application (suspension of fine droplets in the air within an indoor space) using an automatic dispenser that releases a metered dose of product.

**To control flies and mosquitoes:** Remove protective cap from the top of the can and insert can into dispenser. Place dispenser 2 to 3 metres above the floor at a point where air flow will carry the insecticide throughout the treatment area. **DO NOT** install directly over surfaces that may come into contact with food/feed. Read dispenser instruction sheet for installation assistance.

#### **RESISTANCE MANAGEMENT RECOMMENDATIONS:**

For resistance management, K-G Flying Insect Killer Metered II contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant K-G Flying Insect Killer Metered II and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same locations. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of K-G Flying Insect Killer Metered II or other Group 3 insecticides with different groups that control the same pests in the location to be treated.
- Insecticide use should be based on an IPM program that includes scouting and recording keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact PLZ Corp. at 800-332-9000 or at [www.plzcorp.com](http://www.plzcorp.com)

2023-3244  
2024-04-09

**STORAGE:**

Store this product away from food or feed

**DISPOSAL:**

When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial/territorial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for information on the clean-up of spills.