

05-NOV-2010  
2010-3595

**SCHULTZ HOUSE PLANT INSECT SPRAY**  
**PRESSURIZED SPACE & CONTACT SPRAY**

DOMESTIC

GUARANTEE:

D-Phenothrin	0.20%
Tetramethrin	0.20%

REG. NO. 26836 P.C.P. ACT

NET CONTENTS: 150-200 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

Sure-Gro IP Inc  
P.O. Box 12001,  
Brantford, ON  
N3R 7W9  
1-800-268-2806

**DIRECTIONS FOR USE:** SHAKE WELL BEFORE USING. Hold can upright while spraying.

**TO KILL HOUSE PESTS:**

**Flying Insects:** Flies, mosquitoes, wasps, and flying moths. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply 6-10 seconds burst per 30m<sup>3</sup> of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 m from interior wall, fabrics and furniture. **Crawling Insects:** Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed. **Bed Bugs:** Spray mattress, particularly around seams and tufts. Take beds apart, spray all joints. Repeat as required. **Fleas:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with clean bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

**TO KILL PESTS: ON HOUSE PLANTS.**

**Sucking Insects:** Leaf hoppers, spider mites, lacebugs, aphids.

**Chewing Insects:** Caterpillars, Japanese beetles. For insects on Azaleas, Begonias, Chrysanthemums, Roses, and other house plants. Carefully spray with slow sweeping motion keeping 45 cm to 60 cm away from the plants to avoid wetting the foliage. A light spray kills pests effectively. Do not spray in direct sunlight - early morning or evening preferred. Use with caution on young plants and new growth. Insects must be contacted by spray to be killed .

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes, clothing. Vacate room for at least 15 minutes after spraying, and aerate before re-entering. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maiden Hair ferns. Do not use on fruit and vegetable crops.

**FIRST AID:** In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. This product contains a petroleum distillate.

**DISPOSAL:** When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.