POULIN'S RODENT DOOM

(READY TO USE BAIT)

COMMERCIAL

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 26847 PEST CONTROL PRODUCTS ACT

NET CONTENTS 99.2g, 454g, 2.27kg, 4.54kg

GUARANTEE:

POULIN'S PEST CONTROL 24 POULIN Dr. Winnipeg, MB R2H 0S9 1-888-768-5467 **DIRECTIONS FOR USE:** Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

To control Norway Rats (Rattus norvegicus) or Roof Rats (Rattus rattus) indoors and outdoors within 15 meters of farm buildings, processing plants, feed plants, feed barns, storage sheds and industrial buildings, and in garbage dumps. Bait should be placed in amounts from 100g to 454g at intervals of 4.5 to 9m in locations frequented by rats or where rats have been known to feed. Bait must be protected from pets or livestock by bait boxes or other suitable means. Bait should be examined regularly and replenished before completely eaten . Replace bait if it moulds or decomposes.

To control House Mice (Mus musculus) follow the same general directions as for rats, except that the amount of bait should be less: 10 to 50g and more frequent: every 3 to 5 m intervals. House mice are more difficult to control than rats and complete control may take a longer period of baiting.

Food Processing, Food Manufacturing, Food Storage and Food Service Areas: For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For area where feed or food is processed, serviced, or stored: in meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

IMPORTANT: Baiting should be continued as long as evidence of feeding is observed. Except in extremely heavy infestation; this would be from 5 to 14 days. Where a continuous source of infestation is present from nearby dumps or fields, permanent stations should be used and bait placed in them as often as necessary.

PRECAUTIONS:

KEEP PUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. Keep away from children, pets, livestock. May be harmful or fatal if swallowed or absorbed through the skin. If swallowed or absorbed by children, pets and livestock, this product may reduce the clotting ability of the blood and cause bleeding. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product

USE LIMITATIONS – GENERAL:

DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

USE LIMITATIONS - IN AND AROUND LISTED BUILDINGS:

Use indoors and outdoors within 15 meters of buildings. Bait MUST be placed either in tamper-resistant bait stations or in locations not accessible to children, pets, livestock or non-target

wildlife. Bait applied outdoors and above-ground MUST be placed in bait stations. Rodenticide bait can be placed in tamper-resistant bait stations along the fence line of properties, outside of the 15-metre limit but within a 100 meters of buildings, if the station is securely fastened (e.g., nailed down) to the fence or the ground. To ensure safe use of product, tamper-resistant bait stations must have following characteristics:

Bait stations (tier 3) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection molded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and skull and crossbones symbol.

Bait station (tier 2) used for the placement of rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations; (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Bait stations (tier 1) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations: (1) be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as snow, rain, extremes of temperature and humidity, direct sunshine, etc.).

USE LIMITATIONS – IN GARBAGE DUMPS: Bait placed outdoors, above-ground in locations accessible to the public, pets or livestock MUST be placed in tier 1 bait stations. The bait stations used in these locations MUST meet the characteristics described under **USE LIMITATIONS – IN AND AROUND BUILDINGS.**

FIRST AID:

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

Note: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control centre or a doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION: Vitamin K_1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.)

will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE:

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL:

- Dispose of stale bait and dead rodents in accordance with local requirements.
- Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- Make the empty container unsuitable for further use.
- Dispose of the container in accordance with provincial requirements.
- For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency.
- Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.